ENSV FY07 Inspection Transmittal Form

Todays.Date: 8/27/2007

Media				
	Type of Inspection	Selection Criteria		ance Officer Inspection Da
RCRA Contractor	CEI	IA SQG	Koest	erer, B 06/21/2007
Inspector	Activity #			
BAH				
FACILITY INFORMATI	ON			7
Facility Name		ID Number	NAICS/SIC Code)
Relco Locomotive		IAR000506105	4882	1
Address	City	County	State ZI	P
1 Relco Way	Albia	Monroe	IA 52	2531
Facility Activity		•		•
support activities for ra	il transportation			*
fire extinguisher and sp	oill equipment.	me, telephone # of emergency cumulation of containers in sto		
	478526 RCRA			
/ULTIMEDIA FINDING	RCRA			
IULTIMEDIA FINDING	RCRA	MM Type		
	RCRA	MM Type Potential EJ	? CYes ONO CN/	Α
M Participating Program*	RCRA MM Level	Potential EJ	0100 010 010	
MULTIMEDIA FINDING IM Participating Program* IM Screening completed? If yes, was MM Screening If yes, who?	RCRA MM Level Yes ONO ON/A ag Checklist forwarded?	Potential EJ' SBREFA ha es C No	ndout provided? (a) Yes * A=CAA, W=0	CNo CN/A CWA, R=RCRA, E/T=EPCRA/7 FC, S=SPCC, U-I=UIC, Wet., F

DOCUMENT CONTROL SHEET

DOCUMENT CONTROL CHECK SHEET		Media: r RCRA Water Other
Date of Inspection: 6/21/07 Facility/Site Name and Location: Relco La	DCOMOTIVE	IA KSMONE
<u>Document</u>		<u>Yes No NA</u>
Final Report w/attachments		(4 () ()
Field Sheets	O_Pages	() () ()
Chain-of-Custody Records	Pages	() () (4
Field Notes	Pages	(4) (1)
Analytical Data Sheets	Pages	() (4 ()
Photographic Negatives	Pages	() (4 ()
Photographs (not included w/report)	O_Pages	
Pre-inspection Packet	Pages	
Other Documents (list below)		() () (·)
Photographic documentation	Pages	
	Pages	
	Pages	
(Note: If additional space is needed to list speci-	fic documents, i	use the reverse side of this page.)
<u>CER</u>	TIFICATION	
I, the undersigned, certify that all of the docume have been listed above and were included in this		
Activity Leader's Signature		S/16/07 Date Signed

Relco 6/24/07 Wreck Repair, Rebuild, Custom Loco Mfg. * - Wreck Repair - Wrecked Loco's Come in - do pre inspection - Steep unit down - Mechanical repair - wrected parts are removed & exchanged to new - babricate or replace locomotrie part - using steel - plasma, sheer, acetyline - does not generate any used cuttering of yet / water based - some get painted - depending on Customer specification - use Bondo feller putty - re-use arrectly from Container - most sanding in happens in paint books + air filteation Cleans Syptim - sandblast - high pressure water blasting for paint removal - water collected in Sludge put

- pumped to centrifigo

Centerfugo Separates Solids (parit, solta)

- CIDEN 40 oil Coalescer + settling tous

for further separation - water

Quecharged to Sanitary sewer

- Managed as hayardows waste

approx generation Rate 58-gal ~ 2 mong

- Starblast, Starbright - abrasive material goes to centralize took thru process

- re-use fuel - pump out to then replace when loco is repaired - used oil | already drained sealed septems

* Kobuild

- Components removed - anything
that is a part of the locomotive
rurning - repair or raplace - qualify
parts that do Not reed repaired

- parts washers - when spent is mixed

to used oil shipped off as non-hay

- based on Moss knowledge

- just adds new solvent - when
redd Contract person takes

3066

Off site

SANOPLOSCO - has been in use for le months - has not been generated Sport material up to this point. - wiel make hazardous wasts determination

- Custom locomotive mfg - building from components, engines + mechanical Comes in + fabricate loco design to Specification

- Painting

- I paint booth

Solvent based paint

- mixing paint for specific

System - pro-mix - mixed

in line

- solvent cleared - sprayed

- Solvent Cleared - sprayed
wife Container for accumulation
- rage get Lauroleved + hru Syntoss
- Paint booth fulters - thrown
wite Solid waster
- Main futers (Cower half

gets generated approx 20 per monsk - overall 60

486

in about 2-3 months

- not been tested, busing process
Knowledge to be non-hayardows

Used oil generation.

- oil based compressors ergines. Pumped wito above ground tart-used oil filters disposed as solid waste

Universal waste - not generated at this point -- Cocomotive batteries - sent - Scrap netal - Collected i Poll Effs Shrago - Scrap metal Pecycling

- waste fuel - not tood generated here - can't be moved to on site - dealt w before gets here

5 % 6 6/21/07 Usual inspection 6, used où tank - pulled 7/de gallons last time - markel as used où juncludentiel Centrifige haz wasts collection

Suptoms - open Container

- openated on Monday 6/18/07

Satelli pot last day used
marked w/ relentifying Contents

open -Closed at time of inspection 2180-day storage area for Certrifuge
55-gal Container in Storage
- not dated w/ beginning accumulation 1 55-gal Container of used oil - does not have emergency information posted -Pount booth area 1-55-gal containe of wasto there, Closed + labeled

6 06 6 USEOIL - Valley Environmentair Services
3330 Hwy S 74 S, Newton IA 50008 approx 500 gal month Scrap metal -> US EPA JO # TAR 000506550 Teansport # 0706050070/INP FOWA DAR Permit # 05-A-932 DATWYLER

REPORT OF RCRA COMPLIANCE EVALUATION INSPECTION

AT

RELCO LOCOMOTIVE

1 Relco Way Albia, IA 52531 (641) 932-3030

EPA RCRA ID No. IAR000506105

ON

June 21, 2007

BY

Booz Allen Hamilton

FOR

U.S. ENVIRONMENTAL PROTECTION AGENCY
Region 7
Environmental Services Division

INTRODUCTION

At the request of the Environmental Services Division (ENSV) and the Environmental Field Compliance Branch (EFCB) of the U.S. Environmental Protection Agency (EPA) Region 7, Booz Allen Hamilton (Booz Allen) conducted a Resource Conservation and Recovery Act (RCRA) Compliance Evaluation Inspection (CEI) on June 21, 2007, at Relco Locomotive (Relco) located in Albia, Iowa. The CEI was conducted under the authority of Section 3007(a) of RCRA, as amended. Booz Allen gathered information and data necessary for EPA to determine compliance with applicable regulatory and statutory requirements. During the CEI, it was discovered that Relco is currently operating as a generator of between 100 kilograms (kg)(220 pounds) and 1,000 kg (2,200 pounds) of hazardous waste per month, less than 5,000 kg of universal waste at any one time, and a generator of used oil. At the quantities generated, Relco is classified as a small quantity generator of hazardous waste (SQG), a small quantity handler (SQH) of universal waste, and a used oil generator. The inspection was conducted as a level B Multimedia Inspection, and the *Region 7 Multimedia Screening Checklist* is included as Attachment 1.

PARTICIPANTS

The following person(s) participated in the inspection. A copy of the business card(s) was obtained and is included as Attachment 2.

Facility Representative, Relco:

Name	Title	e-mail/fax	Phone
Dave Crall	Director of Engineering	dcrall@relcolocomotives.com (641) 932-3375	(641) 932-3030
Kurt Datwyler	Production Supervisor	Neither one obtained	Not obtained

EPA Representative, Booz Allen Hamilton:

Name	Title	e-mail/fax	Phone
Cathy Dolan	Inspector	dolan_cathy@bah.com fax (816) 448-3850	(816) 448-3252

INSPECTION PROCEDURE

Prior to entering Relco, I conducted a visual reconnaissance of the facility grounds, searching for areas of concern observable from the adjacent roads. No environmental issues or concerns were identified during this preliminary examination.

I arrived at Relco at approximately 0835 hours, checked in with the receptionist and requested to speak with Mr. Kurt Datwyler, the listed environmental contact. The receptionist located Mr. Datwyler, and who along with Mr. Dave Crall greeted me and introduced themselves as the personnel providing environmental compliance. Messrs. Datwyler and Crall escorted me to Mr. Crall's office where I began the entry briefing and presented them with my credential letter, business card and copies of the following materials:

- 42 U.S.C. 1001 and 1002
- RCRA §3007(a) (stipulating hazardous waste inspection authority)
- EPA RCRIS Handler Information Report
- EPA Notification of Regulation Waste Activity booklet
- EPA Publications for Small Business
- EPA Information Sheet: Commercial Motor Vehicle Transportation System Security & Safety-CMV Transportation Security Planning
- EPA Homeland Security Bulletin: US EPA Region 7, December 2001, Security Awareness for Agricultural/Industrial Facilities, Pipelines, Transporters, Utilities, Warehouses of Chemicals

- EPA Managing your Hazardous Waste, a Guide for Small Business
- EPA Office of Enforcement and Compliance Assurance Information Sheet & US EPA Small Business Resources handout
- Compliance Assistance Centers Handout
- Small Business Pollution Prevention Center handout
- Iowa Business Assistance pamphlet
- Iowa Waste Reduction Center pamphlet
- EPA, Office of Regulatory Enforcement, November 2004, Volume 7, Number 2, Enforcement Alert
- EPA, Office of the Administrator, *How to Make A Freedom of Information Act Request* pamphlet

I explained the EPA policy regarding the collection of confidential business information (CBI) to Mr. Crall. I also noted that, at the conclusion of the CEI, he would be presented with the EPA *Confidentiality Notice*. At that time, a CBI claim could or could not be made for any or all of the information collected during the CEI.

The CEI consisted of a discussion of facility operations, waste generation and waste management practices, a review of waste management records, and a visual inspection. Mr. Crall acted as the official facility representative during the CEI and both Messrs. Crall and Datwyler accompanied me during the visual inspection.

I completed the CEI and summarized my findings and recommendations on June 21, 2007, with Messrs. Crall and Datwyler. Based upon these initial observations, a **Notice of Preliminary Findings (NOPF) was issued to Relco during this CEI.**

During the exit briefing, Mr. Crall acknowledged receipt of the following by his signature: a Confidentiality Notice (Attachment 3), which he signed indicating no CBI had been provided during the inspection, a Receipt for Documents and Samples (Attachment 4), and an NOPF (Attachment 5). Five (5) photographs were taken during the inspection and are included in Attachment 6.

FINDINGS AND OBSERVATIONS

Facility Operations

Mr. Crall confirmed that Relco began operation at its current location in Albia, Iowa in August 2005 (Attachment 6, Photograph 1). Relco is comprised of four buildings with approximately 120,000 square feet under roof. Relco employs 68 full-time personnel that work one of two, eight- or ten-hour shifts Monday through Friday. Relco's North American Industrial Classification System (NAICS) code is 48821.

Relco's business activities include locomotive wreck repair, locomotive rebuild and repair, and custom locomotive manufacturing. During the locomotive wreck repair process, locomotives are pre-inspected for initial damage assessment. The locomotive repair process starts by stripping and removing damaged parts, both mechanical and structural. Lubricating oils and fuels are removed from compromised locomotive systems before transport to Relco. However, intact systems are transported with the lubricating oils in place (fuel is always drained before

transport), and Relco drains all remaining fluids before mechanical repair. Next, mechanical parts are replaced with pre-manufactured replacement parts received from off-site vendors. Repaired mechanical systems are filled with new lubricating fluids as necessary.

Replacement structural parts are fabricated on-site using various dimensioned steel or are repaired with Bondo Filler Putty. Fabrication includes cutting steel to specification using plasma, sheer, or acetylene cutters. Fabricated parts are welded together and prepared for painting. Smaller damaged areas are repaired using body filler putty. The pre-mixed putty is used directly from the container and waste putty is not generated. The wreck-repaired locomotive is moved to the paint/sandblasting booth for paint preparation.

Locomotives are sandblasted with a high-power pressure washer that uses water and an abrasive (sand) to remove old paint and scale. The water and debris from sandblasting collects in a floor drain, which is pumped to a centrifuge that separates the water and debris particles. The water is routed to the sanitary sewer for treatment in the POTW. The remaining sludge is collected in a 55-gallon satellite accumulation container and managed as hazardous waste.

Relco uses a pro-mix (this process mixes paint during use so waste is minimized) solvent-based paint system for locomotive painting. A small fraction of the locomotives are not painted and transported to the customer for finishing. The remaining locomotives are painted to customer specification. Solvent and waste paint are collected and managed as hazardous waste.

Locomotive repair and rebuild focuses on the mechanical locomotive systems. The major mechanical systems are manufactured off-site and received at Relco per repair job specification. Structural repair is carried out using the same process as for repair of a wrecked locomotive. Additionally, custom locomotive manufacturing also follows the same process; however, the entire locomotive is built to specification.

Facility Status

The RCRA Handler Information Report (Attachment 7) indicates that Relco is registered with EPA as a small quantity generator of D001 characteristic hazardous waste, and a used oil generator. Through my review of current operations, interviews, and a review of Relco's disposal records, I determined that Relco is currently operating as a SQG of hazardous waste (D001, F003, and F005), a used oil generator, and a used oil marketer (without notifying EPA of used oil marketing activities). The Relco facility has not been in operation long enough to generate universal waste lamps, however, bulb replacement will begin soon, and I provided Messrs. Datwyler and Crall with technical assistance for universal waste management.

Facility Waste Streams

Below is a Waste Stream and Waste Handling Table for Relco. The table describes the major waste streams generated on-site, waste management practices, and off-site treatment, storage, and disposal. A brief description of the major waste streams and management practices is also found in the *CEI Worksheets and Checklists* (Attachment 8). A facility layout indicating the hazardous waste management areas is included as Attachment 9.

Waste Stream and Waste Handling Table Relco Locomotive – Albia, Iowa						
Name of Waste Stream	Generating Process	Hazardous Determination	Estimated Generation Rate	On-Site Management	Off-Site Management	
1) Waste Paint Related Materials (Paint/Solvent) Generated from painting and equipment cleanup activities		Hazardous waste D001, F003, F005	Approximately 30 gallons per month	Collected in 55-gallon satellite accumulation containers	Pollution Control Industries E. Chicago, IN 46312 Ultimate disposition: Fuel Blending	
2) Waste Paint Solids Generated from process wastewater pretreatment and paint solids		Hazardous waste D001, F003, F005	Approximately 30 gallons per month	Collected in 55-gallon satellite accumulation containers	Pollution Control Industries Ultimate disposition: Fuel Blending	
	ee Visual Inspection Soure to mark date of ac				e accumulation containe	
3) Used Oil	Generated from facility and equipment maintenance	Used oil per definition in 40 CFR 279	Approximately 500 gallons per month	Collected in containers at POG and pumped into 2,500-gallon AST	Valley Environmental Services Newton, IA Ultimate disposition: Incineration	
	sual Inspection Section elco operates under EPA			obtain an EPA ID# as	a used oil marketer.	
4) Scrap Metal	Generated from fabrication of locomotive parts	Scrap metal per exemption in 40 CFR 261	Approximately 4 tons per month	Collected in roll-off containers	M. Shrago Oskaloosa, IA Ultimate disposition: Recycling	

Waste Stream and Waste Handling Table Relco Locomotive – Albia, Iowa						
Name of Waste Stream	Generating Process	Hazardous Determination	Estimated Generation Rate	On-Site Management	Off-Site Management	
5) Spent Parts Washer Solvent	Generated from spent parts washing fluid	Non-hazardous through analysis (MSDS located in Attachment 10)	Approximately 55 gallons per year	Mixed with the used oil and sent for incineration	Valley Environmental Services Newton, IA Ultimate disposition: Incineration	
6) General Trash	Generated from non- production activities and general operation	Non-hazardous through process knowledge	Varies	Collected throughout the facility in trash bins	Unknown Ultimate disposition: Landfilled	

Visual Inspection

The facility activities described in the Facility Operations section of this report generate the solid and hazardous wastes listed in the Waste Stream and Waste Handling Table above. During the CEI, the generation, accumulation, and storage areas associated with these wastes were visually inspected.

The visual inspection began with the fabrication and mechanical repair portion of the facility. I observed the breakdown of mechanical and structural parts from wrecked and rebuilt locomotives. The used oil generated from this process is collected in a small used oil tank which is then vacuum pumped to a 2,500 gallon aboveground used oil storage tank (Attachment 6, Photograph 2). I observed the used oil tank to be structurally sound, compatible with their contents, and labeled as "Used Oil." I did not observe any RCRA issues in the production area or used oil management area.

Next, I inspected the wastewater pretreatment area where I observed the centrifuge separation system. Wastewater is initially treated by separating the solids (paint chips, oil, and other debris from sandblast cleaning) from the wastewater. The solids are collected in a 55-gallon container at the centrifuge solid discharge point. Relco operates the centrifuge approximately twice per week. At the time of the inspection, (Thursday, June 21, 2007), I observed the 55-gallon satellite accumulation container to be open (Attachment 6 Photograph 3). The centrifuge was last used on Monday, June 18, 2007, and therefore, I discussed with Messrs. Datwyler and Crall the satellite accumulation requirement of keeping containers closed except when adding or removing waste. At that time, Mr. Crall attached the ring-lock container lid, thereby closing the container (Attachment 6, Photograph 4).

NOPF #1: Failure to keep satellite accumulation containers closed except when adding or removing waste, [40 CFR §262.34(c)(1)(i)].

Adjacent to the centrifuge collection system is a <180-day storage area. During discussion of the <180-day storage area's management, I observed that Relco did not have emergency information posted. Specifically, they did not have the phone number of the emergency coordinator or the fire department posted. Nor did Relco have the location of the fire extinguishers or spill equipment posted. I discussed the requirement to have the as noted above emergency information posted.

NOPF #2: Failure to post emergency information by a phone in the <180-day storage area, [40 CFR §262.34(d)(5)(ii)(A-C)].

Relco also manages ignitable waste in the <180-day storage area. I did not observe that "No Smoking" signs were posted where ignitable wastes are managed. I discussed with Messrs. Datwyler and Crall, the requirement to post "No Smoking" signs where ignitable or reactive wastes are managed.

NOPF #3: Failure to post "No Smoking" signs where ignitable or reactive wastes are managed, [40 CFR §265.17(a)]. (Upon further post-inspection review of the regulatory requirements for a SQG, Relco is not subject to this citation.

Finally, I observed the accumulation of one, 55-gallon container of waste paint solids. The container appeared to be structurally sound, compatible with its contents, and closed. However, the container was not marked with the first date of accumulation (Attachment 6, Photograph 5). I discussed with Messrs. Datwyler and Crall the requirement to mark the beginning date of accumulation on containers of hazardous waste in storage.

NOPF #4: Failure to mark beginning date of accumulation on containers in storage, [40 CFR §262.34(a)(2)].

The visual inspection concluded in the painting department. I observed the paint booth, paint mixing room, and the sandblast wash bay. At the time of the inspection, I observed the generation and collection of waste paint related materials in a 55-gallon satellite accumulation container in the paint mixing room. The container appeared to be structurally sound, compatible with its contents, and labeled with the identifying contents. Facility personnel were adding waste during the visual inspection, and they were observed closing the container after adding paint waste. Therefore, I did not observe any RCRA issues with the satellite accumulation of waste paint. The wash bay floor drains sandblast waste and water to the centrifuge and wastewater pretreatment system. I did not observe any RCRA issues in the sandblast wash bay area.

Records

On June 21, 2007, I reviewed the following facility records:

- 5 of 5 Hazardous Waste Manifests generated in the past 2 years were reviewed (2006-2007 manifests) (Example manifests, Attachment 11),
- Hazardous waste determination profiles (Attachment 12),
- Used Oil Bill of Ladings (past 2 years).

Upon reviewing the used oil bill of ladings, I further discussed the used oil management with Messrs. Datwyler and Crall. Accordingly, they indicated the used oil and spent parts washer solvent mix is burned by Valley Environmental Services (VES). I confirmed this information with Mr. Dean Broderson, Sales Technician with VES. VES is registered as used oil burner and transporter with the EPA, ID # IAR000506550 and EPA ID # 07060500701INP respectively. I inquired whether Relco had registered with EPA as a used oil marketer since their used oil is shipped off-site for burning for energy recovery. According to Mr. Crall, Relco was not registered with EPA as a used oil marketer. I discussed the requirements with Messrs. Datwyler and Crall.

NOPF #5: Failure to register and obtain and EPA ID # as a used oil marketer, [40 CFR §279.73(a)]. Upon further post-inspection review by EPA, this NOPF is not applicable and is therefore rescinded.

During the records review, I inquired of Messrs. Datwyler and Crall if Relco was required to have city, state or federal permits. Mr. Crall supplied me with the following for review:

• Title V Air Permit cover page identifying permit # 05-A-932.

SUMMARY

During the Relco CEI, I discovered through interviews, records review, and a visual inspection, that the facility is currently operating as a SQG of D001, F003, and F005 hazardous waste, a used oil generator and marketer. An NOPF was issued to Relco at the conclusion of the inspection. Before exiting the facility, I provided Mr. Crall the EPA Task Order Contract Officer Representative's contact information letter. I encouraged Relco to provide EPA with a written response outlining the planned and/or completed corrective measures addressing the NOPF.

Cathy S. Dolan

Date: 8/16/07

ATTACHMENTS

- 1: Region 7 Multimedia Screening Checklist (2 pages)
- 2: Copy of Facility Representative(s) Business Card (1 page)
- 3: Copy of the EPA Confidentiality Notice (1 page)
- 4: Copy of the EPA Receipt for Documents and Samples (1 page)
- 5: Notice of Preliminary Findings (NOPF)(1 page)
- 6: Photographic Documentation (4 pages)
- 7: Copy of EPA RCRIS Handlers Information Report (1 page)
- 8: CEI Worksheets and Checklist (14 pages)
- 9: Copy of Facility Layout (1 page)
- 10: MSDS and Spent Solvent Analytical (4 pages)
- 11: Hazardous Waste Manifests (12 pages)
- 12: Hazardous Waste Analytical Profiles (4 pages)

Forward To: EJ EPCRAY RMP / TSCA* CWA LE Wetlands UIC PWS CAA / CFC RCRA UST SPCC REGION VII MULTIMEDIA SCREENING CHECKLIST
Facility Name: ROCO LOCOMOTON Facility Name: ROCO LOCOMOTON Facility Name: ROCO LOCOMOTON Facility Name: ROCOMOTON Street: ROCOMOTON Primary Media: ROCA Inspector Phone Ext.: 816 - 448 - 325 City: CI Dia State: TA Zip: 5853 Date: LOB 10 7 Phone: LOH - 932 - 30,30 Facility Contact: DAVE COUL Number of Employees: Work Hours/Shifts 2 - 8-12 he Shift Facility Subject to OSHA regulations Yes I No II
Main facility activity, major process chemical(s) & description: repair of Locomotive engines +
(Check all that apply): painting/coating (water-based ☐, solvent-based ☑), printing ☐, reacting ☐, formulating ☐, distilling ☐, water treatment ☐, refrigeration ☐, manufacturing ☐, parts washers/degreasing (water-based ☐, halogenated-based ☐, non-halogenated-based ☐), combustion (boiler, furnaces, oxidizers) ☐ plating (chrome ☐, other ☐). ENVIRONMENTAL JUSTICE (Note: Forward to EJ if a concern is identified during your inspection) 1. Is the facility located in an apparent low income area (e.g., with many abandoned and dilapidated properties)? No ☐ (stop) Yes ☐ If yes, is facility less then 1000 feet from nearest routinely occupied property (house, school, etc.)? No ☐ (stop) Yes ☐ Forward to EJ
EMERGENCY PLANNING & COMMUNITY RIGHT TO KNOW ACT (EPCRA) & TOXIC SUBSTANCE CONTROL ACT (TSCA) 1. Did facility file a Tier II report with fire department, Local & State Emergency Planning Committee? Yes □ No ☑ Forward to EPCRA 2. Did facility manufacture, import, or process (formulate, blend, package) >25,000 lbs of a chemical or >100 lbs of a Persistent Bioaccumulative Toxin (lead, mercury, or polycyclic aromatic compounds) at any time over the last 5 years? No ☑ (stop) Yes □ Forward to EPCRA 3. Has the facility: If any box in question 3 is marked - Forward to EPCRA a. Stored ≥500 lbs of ammonia □, ≥100 lbs of chlorine □, or ≥10,000 lbs of an industrial chemical □, at any time over the last 2 years? □ b. Stored ≥10,000 lbs of pressurized flammable material (propane, methane, butane, pentane, etc.) at any time over the last 2 years? □ c. Used ≥10,000 lbs of ammonia □, chlorine □, halogenated solvents □, solvent-based paints □, or solvents □, or nitrated compound, over the last calendar year? □ d. Generated ≥ one half pound of metal dusts, fumes, or metal turnings, over the last calendar year? ☑ 4. Does the facility have any oil filled electrical equipment No □ (stop) Yes □ Forward to TSCA and ask Has facility tested oil filled equipment to determine PCB content; No □ Yes □ number containing PCBs greater than 50 ppm and percent of all equipment tested Is equipment leaking (including wet or weeping equipment)? No □ Yes □ - Get Photo
CLEAN WATER ACT (CWA) - National Pollution Discharge Elimination System (NPDES), Industrial Pretreatment, Storm Water, & Wetlands 1. Does the facility discharge any wastewater to storm sewers, surface water, or the land? No (stop) Yes If yes, are all wastewater discharges permitted? Yes No Forward to CWA 2. Does the facility have process wastewaters that are discharged to a city POTW (Publicly Owned Treatment Works)? No (stop) Yes If yes, are the discharges permitted by: State? City? - If yes, Stop here. No Forward to CWA If yes, does the city have a state or EPA approved pretreatment program? Yes No or Don't Know Forward to CWA 3. During rainfall events, can storm water carry pollutants from manufacturing, processing, storage, disposal, shipping and receiving areas, or from construction sites >1 acre, to storm sewers or surface water? No (stop) Yes No Forward to CWA 4. Did you see any wastewater discharges not identified by the facility? No (stop) Yes - Identify location, time, appearance of discharge: (Get Photo) Forward to CWA
5. Does the facility have any wetland areas (e.g. streams, ponds, or temporarily wet areas)? No 🗹 (stop) Yes 🗆 If yes, have any wetland areas been dredged, filled, channelized, dammed, or had gravel removed from them within the last 5 years? No 🗆 (stop) Yes 🗀 - Identify location and timeframe

1. Does facility discharge any <u>liquids</u> to the subsurface (septic systems, disposal wells, cesspools, etc.)? No (stop) Yes Forward to UIC
If yes, do these liquid wastes consist of <u>sanitary wastewater only</u> ? Yes □ No □ 2. Does facility provide drinking water to 25 people or more from <u>its own source</u> (private well, pond, etc)? No □ (stop) Yes □ <i>Forward to PWS</i> If yes, does the facility test or monitor its drinking water in order to comply with state regulations? Yes □ No □
CLEAN AIR ACT (CAA) and CFCs
1. Do you see any dense, non-steam, smoke or dust emissions leaving the facility property? No 🗹 Yes 🗆 Forward to CAA Source
2. Does the facility have any new air pollution emitting equipment that was constructed or installed in the past 5 years? No ☐ (stop) Yes ☐ If yes, is equipment permitted? Yes ☑ No ☐ Forward to CAA Describe:
3. Does the facility have any cooling units that contain >50 lbs of refrigerant? No (stop) Yes Forward to CFC If yes, are these units: Self-serviced? Contract Serviced? - Service Company: 4. Does the facility have a refrigeration process that contains more than 10,000 lbs of ammonia? No (stop) Yes Forward to EPCRA/RMP
5. Does the facility service motor vehicle air conditioning systems? No 🗹 (stop) Yes 🗆 Forward to CFC
RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) and UNDERGROUND STORAGE TANKS (UST) 1. Does the facility generate more than 30-gallons (220 lbs./100kg) of hazardous waste per pronth or at any one time? No (stop) Yes
5. Did you see any signs of spills or releases (e.g., dead or stressed vegetation, stains, discoloration)? No Ves Ves Ves Forward to RCRA
Describe: (Get Photo) 6. Did you see any chemical or waste handling practices that concern you (access to children/public)? No Yes Forward to RCRA & EPCRA Describe: (Get Photo)
7. Does the facility have any past or present underground petroleum product or hazardous material tanks? No the Yes Defended Forward to UST
8. Does the facility have any underground fuel tanks for emergency generators? No D Yes D Forward to UST
SPILL PREVENTION CONTROL AND COUNTERMEASURE PLAN (SPCC) 1. Does the facility have any aboveground oil tanks (petroleum, synthetic, animal, fish, vegetable), with an aggregate volume >1,320 gallons? No (stop) Yes - Does the facility have a certified SPCC Plan? Yes No Forward to SPCC If yes, are there secondary containment systems for the tanks? Yes No Forward to SPCC If yes, are any tanks leaking where oil could reach waters of the State or U.S.? No Yes (Get Photo) Forward to SPCC
ENVIRONMENTAL MANAGEMENT SYSTEMS (EMS)
1. Does your facility have an EMS? No Yes 2. Is the facility's EMS ISO 14001 certified? No Yes Attachment Page 2 of 2

* PLEASE TAKE <u>PHOTOS</u> TO DOCUMENT POTENTIAL PROBLEMS

Region 7 Multimedia Screening Checklist

Copy of Facility Representative(s) Business Card



(641) 932-3030 (800) 435-6091 Fax (641) 932-3375 E-mail: dcrall@relcolocomotives.com

Dave CrallDirector of Engineering

One Relco Way Albia, IA 52531 www.relcolocomotives.com

Copy of the EPA Confidentiality Notice

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY CONFIDENTIALITY NOTICE

Facility Name
KELCO LOCOMOTIVE
Facility Address
RELCO WAY, ALBIA IA 50531
Inspector (print)
CAHAY S. Dolan 6/21/07
U.S. EPA, Region VII, 901 N. 5th St., Kansas City, KS 66101 Date
The United States Environmental Protection Agency (EPA) is obligated, under the Freedom of Information Act, to release information collected during inspections to persons who submit requests for that information. The Freedom of Information Act does, however, have provisions that allow EPA to withhold certain confidential business information from public disclosure. To claim protection for information gathered during this inspection you must request that the information be held CONFIDENTIAL and substantiate your claim in writing by demonstrating that the information meets the requirements in 40 CFR 2, Subpart B. The following criteria in Subpart B must be met: 1. Your company has taken measures to protect the confidentiality of the information, and it intends to continue to take such measures.
 No statute specifically requires disclosure of the information.
3. Disclosure of the information would cause substantial harm to your company's competitive position.
Information that you claim confidential will be held as such pending a determination of applicability by EPA.
I have received this Notice and DO NOT want to make a claim of confidentiality at this time. Facility Representative Provided Notice (print) Signature/Date OG/21/67
I have received this Notice and DO want to make a claim of confidentiality.
Facility Representative Provided Notice (print) Signature/Date
Information for which confidential treatment is requested;

(Rev: 11/15/99)

Attachment 3 Page ____ of _

Copy of the EPA Receipt for Documents and Samples

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY RECEIPT FOR DOCUMENTS AND SAMPLES

Facility Name RELCO LOCOMOTIVE
Facility Address 1 RELCO WAY, ALBIA JA 52531
Documents Collected? YES (list below) NO
Samples Collected? YES (list below) NO Split Samples: YES NO
Documents/Samples were: 1)Received no charge 2)Borrowed 3)Purchased
Amount Paid: \$ Method: Cash Voucher To Be Billed
The documents and samples described below were collected in connection with the administration and enforcement of the applicable statute under which the information is obtained.
Receipt for the document(s) and/or sample(s) described below is hereby acknowledged:
D Facility (Avout 6/09)
2) HARAPHOUS WASTE MAINLESTS WILDR (12,090)
3) WASTE Profiles (4 pgo)
4) PARTS WASHER SOLVERT MSDS (2 090)
90
Facility Representative (print) Signature/Date
DAVID M. CRALL Color
Inspector (print) Signature/Date CATHY 5 DO AN CATHYS DO AN 6/21/07
U.S. EPA, Region VII, 901 N. 5th Street, Kansas City, KS 66101
(rev:1/20/93)

Notice of Preliminary Findings

NOTICE OF PRELIMINARY FINDINGS

FACILITY NAME:	KELCO LOCOMOTIVE
ADDRESS:	I RELCO WALL
EPA ID NUMBER:	TAR 000506105 DATE: 6/31/07
IIA ID NONDEK.	para upy
Agency ("EPA"). compliance evaluating the reporter	not an employee of the Environmental Protection I am a contractor for EPA retained to conduct uation inspections. The following is a list of commendations found during this inspection which d back to EPA. This is not to be construed as a f observations/recommendations. The EPA will be report prepared as a result of this inspection and cominations as to what violations may have occurred y.
1) 40 CFR 2	(0) 3d (0)(1) = 2/6 172/0) Eq. (1) to 10 10 0 0 miles
DE MAR LUC	Sto Cleaned except upon addiens of Remove he waste
2) 40 CFR 26	8.34(6)(A-C) Failure to post the name I to from the
3. Contract o	euronet + tolephone + +0 the Sine Description
3) 40 CFR DL	5.17 (a) Failure to post no smoking signs by
4) WOCER DU	2 34(a)(a) Failure to mark date of accumulation
5. 8 Conto	CALL TO THE SECOND SECO
6. Of Landson	The second secon
7. 5) 40 OFR 0	79.73 (a) FOULUSE to ADRIAN UN EPA IT # 18.
(A 1/3/-)	ST TENTELU -
If you have contact	ve any questions regarding these findings please
	igned person hereby acknowledges receipt of a copy and has read the same.
PRINTED NAME: 1	DAVID M. CRALL TITLE: DIRECTOR OF ENGLINEERING
SIGNATURE:	DACIE 06/21/07
This docume	ent was prepared by AHA 5 Dolan
	Page 1 of

Attachment 5 Page of 1

Photographic Documentation

PHOTO LOG

Facility Name / City: RELCO LOCOMOTIVE

1 Relco Way Albia, IA 52531

Facility ID #: IAR000506105

Date: June 21, 2007

Photographer: Cathy Dolan

Type of Camera: Sony Digital Still Camera, DCS-P72, Serial #1398911

Digital Recording Media: Memory Stick

All digital photos were copied by: Sona Holder on 06/27/2007.

All digital photos were copied to: to print and CD-R

Original copy is stored in: CD-R. All digital photos were downloaded to CD-R by Sona Holder.

No changes were made in the original image files prior to print and storage on the CD-R.

Report Photo #	Photographer	Date	Approx. Time	File Name (DSC00xxx.jpg)	Description
1	Cathy Dolan	06/21/2007	0840	013	Facing North, Relco Locomotive building façade.
2	Cathy Dolan	06/21/2007	1023	014	Aboveground used oil tank marked as "Used Oil."
3	Cathy Dolan	06/21/2007	1027	015	Satellite accumulation container of sandblast and wash pit bay sludge collection, container is open, but marked with the identifying contents.
4	Cathy Dolan	06/21/2007	1028	016	Satellite accumulation container after being closed at the time of the inspection.
5	Cathy Dolan	06/21/2007	1029	017	Container in storage not marked with the date of accumulation.

Relco Locomotive Albia, Iowa

Photo Number: 1

Photographer:

Cathy Dolan

Direction:

North

Date:

06/21/2007

Time:

0840

Description:

Relco Locomotive

building façade.



Photo Number: 2

Photographer:

Cathy Dolan

Direction:

N/A

Date: Time:

06/21/2007 1023

Description:

Aboveground used oil

tank marked as "Used

Oil."



Attachment 6Page 2 of 4

Relco Locomotive Albia, Iowa

Photo Number: 3

Photographer:

Cathy Dolan

Direction:

N/A

Date:

06/21/2007

Time:

1027

Description:

Satellite accumulation

container of sandblast and wash pit bay sludge collection, container is open, but marked with the identifying contents.



Photo Number: 4

Photographer:

Cathy Dolan

Direction:

N/A

Date:

06/21/2007

Time:

1028

Description:

Satellite accumulation

container after being closed at the time of

the inspection.

Attachment 6 Page 3 of 4



Relco Locomotive Albia, Iowa

Photo Number: 5

Photographer:

Cathy Dolan

Direction:

N/A

Date:

06/21/2007

Time:


1029

Description:

Container in storage

not marked with the

date of accumulation.



END OF PHOTOGRAPHIC DOCUMENTATION

Attachment 6 Page 4 of 4

Copy of EPA RCRIS Handlers Information Report

PROCEDURES for Inspectors/Investigators/etc. performing Site Visits

Present the Facility representative with a copy of their:

- Handler Information Report (attached)
- Copy of the current Notification Form (attached)
- Copy of the current Notification Booklet (attached)

Our instructions to them are printed on their Handler Information Report - and should be self explanatory. If the facility wants to revise their Handler Information Report, they can do so and mail it back to EPA - or have the inspector deliver it.

If during the course of the site visit, the inspector/investigator becomes aware of any changes which should be made to the information printed on this form, please make the corrections and return the form to: Lisa Haugen, ARTD/RESP.

EPA RCRA ID Number:	IAR000506105
Name of Company/Site: Location of Site:	RELCO LOCOMOTIVE 1 RELCO WAY ALBIA, IA 52531 MONROE County
Land Type:	Private
NAICS:	48821 - Support Activities for Rail Transportation
Mailing Address:	1 RELCO WAY ALBIA, IA 52531
Site Contact: Phone Number: Address:	KURT DETWILLER DAUE CLAU (641)932-3030 1 RELCO WAY ALBIA, IA 52531
Current Owner of Site: Owner Type:	RELCO LAND HOLDINGS OF IOWA Private
Current Operator of Site: Operator Type:	RELCO LOCOMOTIVE Private
TYPE(S) OF REGULATED ACTIVITY:	Federal Small Quantity Generator, USED OIL MARKeter
Hazardous Wastes Handled:	D001 UOIL F003, F005
I 06/21/06 2 N 03/22/06 2	
Certified by State/EPA on	06/21/06 by

JIM L LYNCH 06/21/06 NOWCC/SEE INVESTIGATOR

Attachment 7 Page 1 of
Date of Site Visit: $6/21/07$
Name of Inspector (Please print): CATHY S Dolan
(Check one): EPA R7 ENSV EPA R7 Contractor NOWCC/SEE Investigator
Signature of Inspector: (DCIOX / SCO.)

Attachment 8

CEI Worksheets and Checklist

Appendix 1-3
Facility: RELCO LOCOMOTIVE Date: 6/21/07 Arrival time: 8.35
DRIVE-BY
1. Drive-by conducted from public right-of-way? ✓Yes □ No
2. Determine the direction "North" with respect to the facility and provide a brief sketch of the layout and orientation (as can be viewed from the public right-of-way):
The state of the s
137 Huy
MAIN STREET
3. Obvious concerns visible from public right-of-way (photos)? ☐ Yes ☐ No
- Containers - Tanks - Processing Equipment - Loading Areas - Unloading Areas - Security Devices - Open Drums - Stressed Vegetation - Unusual Staining - Unusual Odors - Obvious Discharges - Improper Disposal - Safety Concerns - Other Concerns
Appendix 1-4 <u>SITE ENTRY AND INBRIEFING</u>
1. Desed main entrance Dentered during normal operating hours
2. Facility Representative(s): <u>Kurt Detwiller</u> Title: <u>Production Surhuiser</u> Dys
DAVE CEALL Title Director OF Engineering
Title:
3. Does representative have intimate knowledge of all waste management practices? Yes □ No
How long in position?
4. Introduction: Presented credentials
Explained responsibility to provide accurate information and provided copies of Section 1001 and 1002 U.S.C. to facility
☐ Verified presence at correct facility (checked address/I.D. #) ☐ Explained authority to conduct inspection (Section 3007 of RCRA) ☐ Inspection of the conduct inspection of RCRA)
Explained the purpose, scope, and order of the inspection
Explained the purpose, scope, and order of the inspection Completed Multimedia screening checklist Explained documentation process - worksheets, checklists, photo's, notes, statements, etc
☐ Provided SBRFA ☐ Obtained GPS reading ☐ Explained facility's right to claim CBI
5. Was full access granted? Yes By facility representative or Other(name):
□ No - Access denied Name of person denyingaccess:
Time of denial:
Reason for denial, or limitations placed on access:

Attachment 8 Page 1 of 14

Appenidx 1-5

FACILITY BACKGROUND WORKSHEET

1. Site history: Date facility began operating: Aug 2005 Number of employees:	4
Number of shifts/hours worked: 3 5hift Number of days worked per week: 5	
Size (sq. ft., how divided): 4 buildings w approx (20, 00	ච
bize (sq. 12, now divided).	
Property owner and facility operator the same? PYES INO	
2. Major products or services provided:	
×	
3. Major raw materials used: paint, solvents, motals	
4. Major manufacturing or processing operations which generate waste streams: (provide brief description)	
Operation/Process Waste Stream(s)	
SEE WASTE STEERM TABLE IN REPORT	
	*
······································	
· · · · · · · · · · · · · · · · · · ·	
	V

5. Complete a Generator Waste Stream Worksheet and/or Off-Site Waste Stream Worksheet for the waste streams noted above and then finish this form.

Attachment 8 Page 2 of 14

	JAR 00 0506105
6. Verified/compared above information with facility Notification Form: ☐ NO	×
	<u> </u>
······································	
7. GENERATOR STATUS: (based on records review) □ Non-generator	
☐ KG (0-100kg/mo or 1 kg/mo acute waste and accumulate <1000 kg or 1 kg acute waste or 100 kg of SQG (100-1000kg/mo and accumulate <6000 kg) ☐ LQG (>1000kg/mo)	of acute spill residue)
Is facility's status solidly within above category? YES \(\subseteq NO\) (If not carefully verify status and document)	
•	,
8. TSD STATUS: □ Treatment □ Storage □ Disposal	
Note: Types of units, number of units, capacities, processes, etc.	
Note: Appes of units, number of units, capacities, processes, etc.	
6.6	
P. Resolved questions from Pre-Inspection Worksheet? ☐ YES ☐ NO ☐ No Questions	, ,
	·
0. Resolved compliance officers questions from Pre-Inspection Worksheet? ☐ YES ☐ NO ☐ No Que	estions
\	•
1. Requested site map or diagram to identify all observations? ☐ YES ☐ None available	

"	WASTE STREAM NAME	GENERATION PROCESS	HAZARDOUS WASTE DETERMINATION	ESTIMATED GENERATION RATE	ON-SITE MANAGEMENT	OFF-SITE MGMT./DISPOSAL
-	WASTE PAINT RELATED MATERIASS Lpaint/solvent)	Painting + equipment cleaning activities	DOO1, FOO3 FOO5	55-gal ~ 2 months	Collected in Sort acción Contaviers	Pollution Contro FROISTRIES E. Chicago Fr
						Fuel Blanding
Vi	olations -	* a				
	-					
2	WASTE PAMT SOLIDS	ment + paint 50105	15001, F003 F005	55-gal 1 2 months	accum contains	Pollution Control FABUSTRIES E. Chucago FN
	ir e					Fuel Blending
	1-4: 1 1 //	Earling to Voca	containers of H	AZARDOUS WASTE	E Closes, 40 CFR 262.3	4(c)(1) +
Vie Fo	active to a (a)(2)	rank date of acc	cumulation & c	on Container	S in Storage, 400	FR 262.34
Vic Fo	acture to a	Park date of acc facility, Equip, + mg processes	cumulation & c	,	Collected in 25,000 gallon AST	UPLLEY Envilor Mental Services Newton FA
3	(a)(2) (esed oil	Park date of acc facility, Equip, + mg processes	unulation & c USED où per 279	500-gal pr month	Collected in 25000 gallon AST	UPILLEY ENVIRON MENTON FA FIREL Blendad
3	(a)(2) (esed oil	facility, Equip, + mg processes	unulation & c USED où per 279	500-gal pr month	Collected in 25000 gallor	UPILLEY Envilor Mental Services Newton FA Free Blendad

Attachment _____ of _____ of ____

WASTE STREAM NAME	GENERATION PROCESS	HAZARDOUS WASTE DETERMINATION	ESTIMATED GENERATION RATE	ON-SITE MANAGEMENT	OFF-SITE MGMT./DISPOSAL
Scrap	Pabrication of locomotive parts	Exempt	4 tous per month	Collected in ROII Of Containers	Shrago Oskaloosa, II Recycled
					Recycled
olations -	* .		a	· · · · · · · · · · · · · · · · · · ·	
,					T
SPENT PARTS WASHER	Spent ports wasting fluid	non-hagardous	55 gal r year	mixed w/ used our	VALLEY Envilon- mental Services Full Blendal
Solvent	p.	analysis	O	incineration	Fuel Blendal
olations -					
a a					
	,				
		8			
olations -		*			
	Scrap metal olations - Spent Parts waster Solvent	Scrap Fabrication of Locomotive parts olations- Spent Parts Wastling Fluids olations-	Scrap Palarication of Exempt Comotive parts olations - Spent parts Waster Solvent olations - DETERMINATION Exempt Exempt Ocomotive parts Non - hayardown Hrough Analysis olations -	Scrap Fabrication of Comotive parts Spent facts Waster Fourts Waster Solvent Olations- DETERMINATION GENERATION RATE Exempt 4 tows per month Month Non-hagardees 53 gal ~ Waster Fluid Hrough Analysis	Scrap ratal Patrication of Comotive parts of Comotive parts of Containers Scrap metal Patrication of Comotive parts of Comotive parts of Containers Scent Patris Spent parts wasting fluid through year year to sent for concentration. Scent Patris Spent parts wasting fluid through year to sent for concentration.

Attachment _____ of ____

RECORDS REVIEW WORKSHEET AND CHECKLIST

A. MANIFESTS

#	√/ x	REGULATORY REQUIREMENT	MANIFEST #'s AND COMMENTS
1:	V	Facility uses manifest system-262.20(a)	
2.	V	Manifests maintained for 3 years-262.40(a)	
3.	V	Generator EPA I.D. number-262.20(a)	
4.	V	Generator name, address, phone number-262.20(a)	
5.	1	Transporter(s) name & EPA I.D. number-262.20(a)	
6.	V	Designate facility name, address & EPA I.D. number- 262.20(a)	
· 7.	MA	Alternate facility designated (optional)-262.20(c)	
8.	V	Unique five digit document number and number of pages-262.20(a)	
9.	V	DOT shipping name, hazard class, waste code, & RQ (if required-49 CFR 172)-262.20(a)	
10.	V	Containers: numbers, type, quantity, unit wt/vol262.20(a)	· · · · · · · · · · · · · · · · · · ·
11.	V	Proper certification (highway, rail, water or air) including waste minimization-262.20(a)	
12.	.√	Signed and dated-262.23(a)	a a a a a a a a a a a a a a a a a a a
13.	1	Exception report submitted if necessary-262.42	
14.	NA	Waste reclaimed under contractual agreement (SQG only)-262.20(e)(1)	
15.	WX	Generator maintains copy of contractual agreement (SQG only)-262.20(e)(2)	
16		LDR notification/certification sent with manifests on 1st shipment -268.7(a)	
17.		LDR notification/certification includes: manifest number, correct EPA waste codes & treatment standards, and waste analysis data-268.7	
18.	V	LDR notification/certification/ waste analysis data & other documents maintained for 3 years-268.7.(a)(8)	
19.	NR	Biennial Reports submitted per 262.41 (LQG only)	

✓-in compliance X-not in compliance N/A-not applicable

20. Approximate number of manifests	generated since last inspection, or over
past 3 years	1

21. Approximate number of manifests reviewed:

22. Copies of manifests made with regulatory violations?

YES NO

E. WASTE ANALYSIS/WASTE DETERMINATION AND LAND DISPOSAL RESTRICTIONS

1. Location of waste analysis/waste determination records:

2. Person responsible for waste analysis/waste determination: DAUE BPALL

#	/x	REGULATORY REQUIREMENTS	COMMENTS
3, 4,	V	Determines if waste is a hazardous waste-262.11 Determines if waste is restricted from land disposal-262.11(d)-268.7(a).	
5.	V	Determines waste does <u>not</u> meet applicable treatment standards (ATS) - $268.7(a)(2)$.	
a.	1	One time written notice submitted to treatment or storage facility with initial shipment and a copy placed in file - 268.7(a)(2)	. ,
b.	P	SQG disposes of waste under a contractual or tolling agreement - 268.7(a)((10). (LDR Notice available for the initial shipment and Copy of LDR Notice kept for 3 years after termination of agreement).	a
6. **	M	Waste covered by a National Capacity Variance(s)- 268 Subpart C, Extension, or Petition - 268.5 & 6. (Describe the variance, extension, or petition that applies):	
a.		Provides a notice to the land disposal facility with the initial shipment, or a revised notice if changes occur, stating that the waste is exempt from the LDRs - 268.7(a)(4).	
7.	V	Ships waste(s) covered by the LDRs off-site for treatment or disposal - 268.7(a)(1) If no, go to 8.	
a.	V	Provides a notice with initial shipment, or new notification, if changes occur - 268.7(a)(1)	
b.		Notice includes: EPA hazardous waste number(s), manifest number(s), waste analysis data, if available, and waste constituents, wastewater or non-wastewater classification, and subcategory, if applicable.	
8.	N	Determined waste to be excluded from the definition of hazardous or solid waste, or exempt from Subtitle C regulations under 261.2 thru 261.6 subsequent to the point of generation - 268.7(a)(7).	
a.		Retains a one-time notice describing the generation, subsequent exclusion or exemption, and the disposition of the waste, in the facility's on-site files - 268.7(a)(7). (If soil contaminated with waste, a special certification statement is included with the notice) - 268.7(a)(2)(i)	
9.		Determines waste or soil contaminated with waste does meet the ATS or does not exceed prohibition levels and requires no further treatment - 268.7(a)(3).	*
a.		One time written notice submitted to treatment or storage facility with initial shipment and a copy placed in file - 268.7(a)(3)(i)	*
10.	V	Additional special rules regarding waste that exhibits a characteristic - 268.9.	

Attachment 8 Page 7 of 14

ı. ·	NP	If not D001 non-wastewater, determines the underlying constituents as defined in 268.2(i) - 268.9(a)	*			e 8		
ъ.		If land disposed, waste meets the treatment standards specified in 278 Subpart C - 268.9(c)		×.				
c.		First claims that their characteristic waste is no longer hazardous - sends a one-time notification and certification to EPA or authorized State, places a copy in the file, and updates both if there are changes is process, operation or receiving facility - 268.9 (d)			*		ä	
11.	V	Impermissible dilution of waste to meet LDR standards is not occurring 268.11(d) –268.3(a) & (b)						
12.	m	If hazardous waste prohibited from land disposal is either: a contaminated soil, or is a contaminated soil which is treated, or a lab pack waste, or hazardous waste debris, or managed at a treatment or disposal facility, or the generator's determination is based solely on knowledge - See additional LDR checklists in Appendix 2-1.	ù.					
13.		References to Waste Specific Prohibitions under Subpart C: Wood Preserving Wastes - 268.30 Dioxin-containing Wastes - 268.31 TC Metal Wastes - 268.34 Petroleum Refining Wastes - 268.35 Ignitable and Corrosive Characteristic Wastes Whose Treatment Standards Were Vacated - 268.37 Newly Identified Organic Toxicity Characteristic Wastes and Newly Listed Coke By-Product and Chlorotoluene Production Wastes - 268.38 Spent Aluminum Pot liners; Reactive; and Carbamate Wastes - 268.39						
14.		Prohibition on Storage of Restricted Waste - 268.50	1¥					
15,		Reminder - Treatment Standards listed in 268.41 through 268.49						

16. Notes/Observations:								
9								
	1							
ng **								
	,							
		7						

Attachment 8 Page 8 of 14

J.	USED OIL - RCRA INSPECTION CHECKLIST	9	·	*
1.	What Used Oil activities does the facility engage in?	Ceting	+ gener	when
	a. Type of used oil generated?	,c_	month	
40	CFR 279.12 Prohibition Questions			·
	 Is used oil being managed only in a surface impoundme Yes ŪXo □ Noi Applicable (NA) 	nt or waste	e pile subject to regula	ation under 40 CFR Parts 264 or 265?
	2. Is used oil being used as a dust suppressant? ☐ Yes ☐	LN6		
	 Is off-specification oil fuel burned for energy recovery inheaters, or hazardous waste incinerators identified in 40 	in only ind CFR Part	ustrial furnaces, indus 279.12 (C)(1-3)?	trial boilers, utility boilers, used oil-fired space \square No
Sub	part C - Standards for Used Oil Generators			in the second se
(Ch	eck here \square if this section is NA)			
	Instructions:- Fill out this section if the facility generates used oil or (see definition and applicability of used oil generator Prevention, Control and Countermeasures (SPCC) recER Part 280) in addition to the requirements of Subj	in 40 CFR quirements	279.20). Used oil ge	enerators are subject to all applicable Spill
Regi	ulation and Standard			Violations
279.	21 Hazardous Waste Mixing			
1.	Is the generator mixing hazardous waste with used oil?	☐ Yes	ŪNo □NA	* .
	If yes, is the generator of a used oil containing greater than 1,000 parts per million (ppm) total halogens managing the used oil as a hazardous waste unless the used oil presumption is rebutted?	☐ Yes	□ No ☑NA	
2.	Are analytical data available?	☐ Yes	□ No □ NA	
279.2	Used Oil Storage			
1.	Does the generator only store used oil in tanks, containers, or units subject to regulation under 40 CFR Parts 264 or 265?	₩ es	□No□NA	
2.	Are containers and aboveground tanks used by a generator to store used oil in good condition, with no visible leaks?	Yes	□ No □ NA	
3.	Are containers, aboveground tanks, and fill pipes used for underground tanks labeled or marked "Used Oil"?	Yes	□ No □ NA.	1.0
4.	Upon detection of a release of used oil, has the generator a. Stopped the release? b. Contained the release? c. Cleaned up and managed the used oil and other materials? d. Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	☐ Yes	□ No □ NA	
279.2	On-Site Burning in Space Heaters			
1.	Is the generator burning used oil in used oil fired space heaters only when a. The heater burns only used oil that the owner or operator generates or used oil received from household do-it-yourself	☐ Yes	□No□NA	
	generators? b. The heater is designed to have a maximum capacity of not more than 0.5 million British Thermal Units per hour?	☐ Yes	□ No □ NA	
	c. The combustion gases from the heater are vented to ambient air?	☐ Yes	□No□NA	1

Attachment 8 Page 9 of 14

Re	ulation and Standard			Violations
Acce	meteron three primiting	1		Tribunous salara
279	.24 Off-Site Shipment			n a 194
1	Has the generator ensured that the used oil is hauled only by a transporter that has obtained an U.S. Environmental Protection Agency (EPA) identification (ID) number?	10 Yes	□No□NA	
2	Does the generator have a tolling arrangement with a transporter without an EPA ID number?	□ Yes	□No□ NA	
	If yes, answer the three following questions. If no, move to question 6.		030	
3	Is the used oil reclaimed and returned by the processor or re-refiner to the generator for use as a lubricant, cutting oil, or coolant?	☐ Yes	DNO II NA	
4	Does the tolling contract indicate the type of used oil and the frequency of shipment?	☐ Yes	□ No□ NA	
5.	Is the vehicle used to transport the used oil to the processing or re- refining facility and to deliver recycled used oil back to the generator owned and operated by the used oil processor or re-refiner?	□Yes	□ No □ NA	
6.	Does the generator transport used oil generated at the generator's site or used oil collected from household do-it-yourselfers to a used oil collection center or to aggregation points owned by the generator?	☐ Yes	ONo□ NA	* *
Reg	clation and Standard	14 to 1		Violations
7.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?			
8.	Does the generator transport no more than 55 gallons of used oil at any time?	☐ Yes	□No□NÀ	
9.	Does the generator transport the used oil to a used oil collection center that is registered, licensed, permitted, or recognized by a state/county/municipal government to manage used oil?	□ Yes	□ No □ NA	

For further Used Oil questions refer to Appendix 2-4:

Subpart D - Standards for Used Oil Collection Centers and Aggregation Points
Subpart E - Standards for Used Oil Transporters and Transfer Centers
Subpart E - Standards for Used Oil Processors and Re-Refiners
Subpart G - Standards for Used Oil Burners Who Burn Off-Specification Used Oil for Energy Recovery

Subpart H - Standards for Used Oil Fuel Marketers

8 Page 10 of 14

Appendix 1-9

VISUAL REVIEW WORKSHEET AND CHECKLIST

A. CONTAINER STORAGE AREA (Complete one form per storage area)

1. Type of storage area: □<90 day □<180 day □<270 day □I.S. □ Permit

2. I.S /Permitted capacity:

#	√/x	REGULATORY REQUIREMENTS*	COMMENTS	
3.	V			•
		Date of accumulation marked and visible-262.34(a)(2)		
4.		Containers marked as "Hazardous Waste" - 262 34(a)(3)		
5	1/	Containers in good condition-262.34-265.171	, ,	
6. 7.		Containers are compatible with waste-262.34-265.172 Containers kept closed-262.34-265.173(a)		
8		Containers not opened, handled, & stored in a manner to		
	V	cause them to leak-262.34-265.173(b)		
9.	V	Containers storing incompatible separated or protected from each other-262.34-265.177	•	
10.		Containers of ignitable/reactive waste stored >50 feet		
	1	from property line [LQG's, I.S. & Permit, only]- 262.34-265.176		
11.	1	Adequate aisle space for type of container management and emergency equipment used-265.35	ů.	×
2		Containers stored for less than 90/180/270 days, as +	a a	
	V	applicable-262.34	,	
13.	MA	Storage area inspected weekly-265.174		
-		ADDITIONAL I.S. REQUIREMENTS*		
4.	M	Security: controlled entry, 24-hr. surveillance, or barrier-265.14(b)		
5.		"Danger Unauthorized Personnel Keep Out," signs		
-	H	posted-265.14(c)	*	
6.		"No Smoking" signs conspicuously posted-265.17(a)	•	
7.		Containers/Tanks clearly marked identifying their contents & with storage start date 268-50(a)(2)		**
8.		LDR wastes not stored over 1 yr. without adequate justification-268.50(c)		
9.		Daily inspections loading unloading areas (when in use)-		
	1	265.15(a)(4)		
	7	PRE-TRANSPORT REQUIREMENTS*		
0.	V	Waste packaged, labeled, marked, per DOT-262.30, 262.31, 262.32, respectively	* * *, *	æ
1.		Placards available for use by transporters when applicable-262.33	Attachment 8 Page 11 of	lΨ

#	✓/ x	REGULA	TORY REQUIR	EMENTS*		COMMENT	S
22.	1	Dévice available capassistance-265.34	able of summoning	g emergency		, .	
23.	1	Adequate supply and and safety equipment etc.)-265.32					
24.		Adequate water supp	ly for fire control	equipment-265.32(d)	. :	-	
25.	V	Communication and a maintained-265.33 Facility operated and					* ,
√-in con	npliance	e X-not in compliance	N/A-not applical	ble *-please note app	licable permit require	ement	
27. Cont	ainer inv	ventory:	count	oximate count			
W	aste Ty	pe Containe	r Size	Total			
	-		x 55 gal	x 30 gal			
			x 55 gal	x 30 gal			
			x 55 gal	x 30 gal			
				x 30 gal			
				x 30 gal			
				x 30 gal			
				x 30 gal			
				(pounds, gallons, etc.):	,		
28. How	were co	ntainer volumes verifie		(pounds, gamons, etc.)			
		to verify observations:			-		
		magement area location				*	ų, t
			i noted on map of	diagram: L res L	NO.		3
31. Note	s Observ	varions:					
							· · · · · · · · · · · · · · · · · · ·
		·				No. 7	
					/4	9	

Attachment 8 Page 10 of 14

B. SATELLITE ACCUMULATION AREA(S)

1. Total number of satellite areas inspected at facility:

#	REGULATORY REQUIREMENTS	sai: <u>Centri</u> - fuge	SA2: Paint Booth	SA3:	SA4:
2.	Area at or near the point of generation-262.34(c)(1)	V			
3.	Area under the direct control of operator-262.34(c)(1)				*
4.	Quantities accumulated do not exceed 55-gallons or 1 quart (acute) -262.34(c)(1)				
5.	Excess accumulation removed within 3 days-262.34(c)(2)	V	V		
6.	Containers marked identifying their contents 262.34(c)(1)				e e
7.	Containers in good condition-262.34(c)(1)			ř	
8.	Containers are compatible with waste-262,34(c)(1)				
9. **	Containers kept closed-262,34(e)(1)	X			

✓-in compliance X-not in compliance N/A-not applicable

Above Satell	lite Areas	with	problems:
--------------	------------	------	-----------

SA1:	Name/Location of area:
	Person responsible for area:
	Type(s) and Volume of waste accumulated:
	Number and Type of containers:
SA2:	Name/Location of area:
	Person responsible for area:
	Type(s) and Volume of waste accumulated:
	Number and Type of containers:
SA3:	Name/Location of area:
	Person responsible for area:
	Type(s) and Volume of waste accumulated:
	Number and Type of containers:
SA4:	Name/Location of area:
	Person responsible for area:
	Type(s) and Volume of waste accumulated:
	Number and Type of containers:

Attachment

	Attachment 8 Page 13 of 14
Page _	of

Appendix 1-10

EXIT BRIEFING

1	 Reviewed all data collected and documented all concerns or violations? □ Yes □ No Location of the violation, type and amount of waste involved, time frame, frequency, specific dates & when first started occurred Illegal units - unit location (diagram/picture), dimensions, conditions, construction material, gradient of the base (for spills), other information. Illegal disposal - how, when (each occurrence), where sent or disposed of, how shipped, who shipped, when shipped/disposed of, quantity
	☐ Identified/verified violations from previous inspection were corrected (if applicable) ☐ Addressed all unresolved inspection related issues ☐ Summarized findings and observations for the facility representatives
	NO Violations clearly identified and explained, including: circumstances, location, and applicable regulations
-	DExplained the importance of a timely (14 day) and adequate response DExplained that findings and observations are based on your current knowledge of RCRA and that the final findings may differ DExplained that compliance officer will make the final compliance decisions and that all compliance questions should be directed toward them DExplained that recommendations provided are for informational purposes only and DO NOT require specific actions by the facility Provided facility with CBI form
1:	□ Prepared Document Receipt form Specific information requested from facility? □ Yes □ Y
_	. Specific information requested from facility?
4	. Facility appears to have awareness of RCRA regulations \(\tilde{\text{LY}} \) es \(\square \text{No} \)
5.	. Facility has its own environmental staff? Yes No . Facility has copy of applicable regulations? Yes No
7 .	. Attitude and demeanor of facility representative(s): DOK Not OK
8.	. Notes/Qbservations:
_	
z:	
_	
•	
1	
	·
1	
•	Attachment 8 Page 14 of 14

Attachment _____ Page ____ of ____

Attachment 9

Copy of Facility Layout

Attachment 10

MSDS and Spent Solvent Analytical

MATERIAL SAFETY DATA SHEET

Date Issued: 01/01/05

SECTION A - IDENTIFICATION & EMERGENCY INFORMATION

Manufacturer's Name: BP Lubricants USA Inc.

Emergency Telephone Number:

410-574-5000

800-777-1466

PRODUCT NAME: Castrol Solvent

Chemical Name: Petroleum Solvent

Address: 9300

9300 Pulaski Highway

Baltimore, MD 21220

PART NUMBER: 8122

CAS Number: See Section B

Product Appearance & Odor: Clear Water-White Liquid

Mild Mineral Spirits Odor

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS)

Health - 0 Flammability - 2 Reactivity - 0

Hazard Rating: Least - 0, Slight - 1, Moderate - 2, High - 3, Extreme - 4

SECTION B - COMPONENTS & HAZARD INFORMATION

CAS NO. OF

COMPONENTS

Aliphatic Petroleum Distillates

COMPONENTS

64742-88-7

APPROXIMATE CONCENTRATION

100%

Proprietary Additives

Mixture: COMPLEX MIXTURE

CAS Number Not Applicable

Not Applicable

Exposure Limit for Total Product: 100 ppm (525 mg/m3) for an 8 hour work day. US TSCA Inventory: All components of this material are on the US TSCA Inventory

Reportable Quantity EPA Regulation 40 CFR 302 (CERCLA Section 102): No RQ for product for any component greater than 1%

or 0.1% (Carcinogen).

Threshold Planning Quantity (TPQ) EPA Regulation 40 CFR 355 (SARA Sections 301-304): No TPQ for product for any

component greater than 1% or 0.1% (Carcinogen).

Toxic Chemical Release Reporting, EPA Regulation 40 CFR 372 (SARA Section 313): Not Application.

EPA Hazard Classification Code:

☐-Acute Hazard ☐-Chronic Hazard ☐-Fire Hazard ☐-Pressure Hazard ☐-Reactive Hazard

DEPARTMENT OF TRANSPORTATION (DOT) - DOT IDENTIFICATION NUMBER: Transported by highway or rail: Bulk

packagining (capacity <119 gallons) Not regulated. Transported by air or marine vessel: Bulk or non-bulk packaging, Petroleum

Distillate, n.o.s., 3, UN1268,III.

SECTION C - PHYSICAL DATA (THE FOLLOWING DATA ARE APPROXIMATE OR TYPICAL VALUES.)

Boiling Range: 187° -206°C Specific Gravity (H₂O=1): 0.79

Pour Point: N/A° Viscosity: N/A° O=1): 0.79 Vapor Pres Vapor Den

pH: N/A

Percent Volatile by Volume: 100% Vapor Pressure: @20°C(68°F) mmHg 0.4

Vapor Density: 5.3(Air=1)

Evaporation Rate: (N-Butyl Acetate=1):0.03

Solubility in Water: Negligible

SECTION D - FIRE PROTECTION INFORMATION

FLASH POINT & METHOD: 62°C(143°F)

Method~ASTM D 56, TCC

AUTO IGNITION TEMPERATURE: Not Determined

HANDLING PRECAUTIONS: Keep away from ignition sources, such

as heat, sparks, pilot lights, and open flames.

NATIONAL FIRE PROTECTION ASSOCIATION

(NFPA)-Hazard Identification

Health - 0

Flammability - 2 Reactivity - 0

Keactivity - 0

Basis: Recommended by BP Lubricants USA Inc.

Hazard Rating (NFPA):

4 - Extreme, 3 - High, 2 - Moderate,

1 - Slight, 0 - Insignificant

UNUSUAL FIRE & EXPLOSION HAZARDS:

Combustible

Flammability Limits (% by volume in air):

Lower: 1.0% Upper: 7.0%

Page 1 of Z

MSDS Form 2.1

Attachment D Page 1 of 4

SECTION D - FIRE PROTECTION INFORMATION (CONTINUED) EXTINGUISHING MEDIA AND FIRE FIGHTING PROCEDURES:

Foam, water spray (fog), dry chemical, carbon dioxide and vaporizing liquid type extinguishing agents may all be suitable for extinguishing fires involving this type of product, depending on size or potential size of fire and circumstances related to the situation. Plan fire protection and response strategy through consultation with local fire protection authorities or appropriate specialists. The following procedures for this type of product are based on the recommendations in the National Fire Protection Association's "Fire Protection Guide on Hazardous Materials," Tenth Edition (1991): Use dry chemical, foam or carbon dioxide to extinguish the fire. Water may be ineffective, but water should be used to keep fire-exposed containers cool. If a leak or spill has ignited, use water spray to disperse the vapors and to protect men attempting to stop a leak. Water spray may be used to flush spills away from exposures. Minimize breathing of gases, vapor, fitnes or decomposition products. Use supplied-air breathing equipment for enclosed or confined spaces or as otherwise needed.

NOTE: The inclusion of the phrase "water may be ineffective" is to indicate that although water can be used to cool and protect exposed material, water may not extinguish the fire unless used under favorable conditions by experienced fire fighters trained in fighting all types of flammable liquid fires.

DECOMPOSITION PRODUCTS UNDER FIRE CONDITIONS:

Fumes, smoke, carbon monoxide, aldehydes and other decomposition products in the case of incomplete combustion. "EMPTY" CONTAINER WARNING: "Empty" containers retain residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION: THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to clean since residue is difficult to remove. "Empty" drums should be completely drained, properly bunged and promptly returned to a drum reconditioner. All other containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations. For work on tanks refer to Occupational Safety and Health Administration regulations, ANSI Z49.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or other contemplated operations.

SECTION E - PROTECTION & PRECAUTIONS

VENTILATION: Use only with ventilation sufficient to prevent exceeding recommended exposure limit or buildup of explosive concentrations of vapor in air. No smoking, or use of flame or other ignition sources.

RESPIRATORY PROTECTION: Use supplied-air respiratory protection in confined or enclosed spaces, if needed.

PROTECTIVE GLOVES: Use chemical-resistant gloves, if needed, to avoid prolonged or repeated skin contact.

OTHER PROTECTIVE EQUIPMENT: Use chemical-resistant apron or other impervious clothing, if needed, to avoid contaminating regular clothing, which could result in prolonged or repeated skin contact.

WORK PRACTICES/ENGINEERING CONTROLS: Keep containers closed when not in use. Do not store near heat, sparks, flame or strong oxidants. In order to prevent fire or explosion hazards, use appropriate equipment. Information on electrical equipment appropriate for use with this product may be found in the latest edition of the National Electrical Code (NFPA-70). This document is available from the National Fire Protection Association, Batterymarch Park, Quincy, Massachusetts 02269.

PERSONAL HYGIENE: Minimize breathing vapor or mist, Avoid prolonged or repeated contact with skin, Remove contaminated clothing; launder or dryclean before re-use. Remove contaminated shoes and thoroughly clean and dry before re-use. Cleanse skin thoroughly after contact, before breaks and meals, and at end of work period. Waterless hand cleaners followed by washing thoroughly with soap and water readily remove product from skin.

VARIABILITY AMONG INDIVIDUALS: Health studies have shown that many petroleum hydrocarbons and synthetic lubricants pose potential human health risks, which may vary from person to person. As a precaution, exposure to liquids, vapors, mists or fumes should be minimized.

SECTION F - SPILL OR LEAK PROCEDURE

ENVIRONMENTAL IMPACT: Report spills as required to the appropriate authorities. U.S. Coast Guard regulations require immediate reporting of spills that could reach any waterway including intermittent dry creeks. Report spill to the Coast Guard toll free number 800-424-8802.

PROCEDURES IF MATERIAL IS RELEASED OR SPILLED; Shut off and eliminate all ignition sources, Keep people away. Recover free product. Add sand, earth or other suitable absorbent to spill area. Minimize breathing vapors, Minimize skin contact. Ventilate confined spaces. Open all windows and doors. Keep product out of sewers and watercourses by diking or impounding. Advise authorities if product has entered or may enter sewers, watercourses, or extensive land areas. Assure conformity with applicable governmental regulations. Continue to observe precautions for volatile, combustible vapors from absorbed material.

ASSURE CONFORMITY WITH ALL APPLICABLE REGULATIONS. WASTE DISPOSAL: Dispose of in an environmentally safe manner and in accordance with all government regulations to include Federal, State, and local requirements.

SECTION G - REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS & MATERIALS TO AVOID: Avoid heat, open flames and oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition produces are highly dependent on the combustion conditions. A complex mixture of airborne solid, liquid, particulates and gases will evolve when this material undergoes combustion. Carbon monoxide and other unidentified organic compounds may be formed upon combustion.

SECTION H - EMERGENCY & FIRST AID PROCEDURES AND PRIMARY ROUTES OF ENTRY

EYE CONTACT: If splashed into the eyes, flush with clear water for 15 minutes or until irritation subsides. If irritation persists, call a physician.

SKIN CONTACT: In case of skin contact, remove any contaminated clothing and wash skin thoroughly with soap and water.

INGESTION: If ingested, DO NOT induce vomiting; call a physician immediately. INHALATION: If overcome by vapor remove from exposure and call a physician immediately. If breathing is irregular or has stopped; start resuscitation, and administer oxygen, if available.

SECTION I - EFFECTS OF OVEREXPOSURE (SIGNS AND SYMPTOMS OF EXPOSURE)

High vapor concentrations (attainable at elevated temperatures well above ambient) are irritating to the eyes and the respiratory tract, and may cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effect, including death.

The precise composition of this mixture is proprietary information. A more complete disclosure will be provided to a physician or nurse in the event of an medical emergency.

Page 2 of 2

MSDS Form 2.1

Attachment 10 Page 2 of 4



[ATS]

An Independent Laboratory

190 Howard St PO Box 61 Franklin, PA USA 16323-0061 (814) 432-7214 FAX: 814-432-9424

www.WeTestiT.com

October 18, 2006

Ken Reif Valley Distribution 12041 130th St Burlington, IA 52601-8809

Ken,

The analysis of the recent sample you submitted is as follows:

40417				
10-09-2006 Riico-Albia Solvent				
<0.5				
0.0				
0.2				
0.0				
0.0				
48.4				
68				
0.01				
15				

Based on the above analysis and the parameters we discussed, the PCB content was not determined.

If you have any questions concerning this sample, please let us know.

Sincerely.

Richard M. Eakin, President

Reference: Final Report and Invoice #4114 Emailed on Oct-18-2006 to Ken Reif at

kenr@valleydistribution.com

Since services are based on sample and information supplied by others, these services are rendered without any warranty or liability.

Sample will be retained for thirty (30) days.

Attachment 10 Page 3 of 4

Castrol Solvent

Typical Analysis

3197529756

Part Number 8122 Aniline Point (ASTM D 611) 165 max. Kauri Butanol Value (ASTM D 1133) 29-45 Aromatic Hydrocarbons, %v (UV-DPMC Method) 0.5 max. Flash Point, °C, (°F) (TCC) (ASTM D-56) 61 (143) Vapor Pressure @20°C (68°F) mmHg 0.4

Distillation Range, °C (°F) 187-206 (368-402)

Gravity "API, (ASTM D 4052) 44,6-50,5

Protection and Precautions:

Respiratory Protection:

Use supplied-air respiratory protection in confined or enclosed spaces, If needed.

Ventilation:

Use only with ventilation sufficient to prevent exceeding recommended exposure limit or buildup of explosive concentrations of vapor in air. Use explosion-proof equipment, No smoking or open lights.

Protective Gloves:

Use chemical resistant gloves, if needed, to avoid prolonged or repeated skin contact.

Work Practices/Engineering Controls:

Keep containers and storage containers closed when not in use. Do not store near heat, sparks, flame or strong oxidants. To prevent fire or explosion risk from static accumulation and discharge, effectively ground product transfer system in accordance with the National Fire Protection Association standard for petroleum products.

Eve Protection:

Use splash goggles or face shield when eye contact may occur.

Other Protective Equipment:

Use chomical resistant apron or other impervious clothing, if needed, to avoid contaminating regular clothing which could result in prolonged or repeated skin contact.

Personal Hygiene:

Minimize breathing vapor or mist. Avoid prolonged or repeated contact with skin. Remove contaminated clothing; launder or dry clean before reuse. Remove contaminated shoes and thoroughly clean and dry before reuse. Clean skin thoroughly after contact, before breaks and meals, and at end of work period. Product is readily removed from skin by waterless hand cleaners followed by washing thoroughly with soap and water. Call 1-800-777-1466 or visit the web site www.castrol.com/us to request a complete Material Safety Data Sheet.

Attachment 11

Hazardous Waste Manifests

LAND DISPOSAL RESTRICTION NOTIFICATION FORM 1

PA ID Number	I ARO00506105	es No	fest Number O	002183835JJK	Date	05-21	-07
PROFILE	RCRA NON- REGULATED Please check if waste stream is not regulated by RCRA.	RCRA WASTE CODES (List all that apply)	SUBCATEGORY (See Table II and Select Key # if applicable).	그 없는데 그를 가장 하는데 하는데 가입니다. 그래요 하면 하는데 그렇게 하는데 가장 하는데		CALIFORNIA LIST WASTES	REGULATED CONSTITUENTS FOR D001*, D002, D012-D043, F001*F005 & F039
	b	C	đ	Nonwastewater >1% TOC & >1% TSS	Wastewater	List all applicable constituents from key below g	List all applicable constituents from Table I and/or key below h
293410		D001,F003,F005		X	***	H-1	32,26
293423		D001,F003,F005		X			32,26
PCB >= 50		CALIF	(HOC's) >= 10		ickel (Ni) >= 1		llium (TI) > = 130 n
REGU Acetone Benzene N-Butly Alcohol Carbon Disulfide Carbon Tetrachloride Chlorobenzene Cresols (o,m, or p isomers)		 12) Cresylic Acid 13) Cyclohexanone 14) 1,2-Dichlorobenzene 15) Ethyl Acetate 16) Ethyl Benzene 17) Ethyl Ether 18) Isobutanol (Isobutyl alcohol) 		19) Methanol 20) Methylene Chloride 21) Methyl Ethyl Ketone 22) Methyl Isobutyl Ketone 23) Nitrobenzene 24) Pyridine 25) Tetrachloroethylene		28) 1,1,2 Trichlo	roethane ro 1,2,2 Trifluoroeth lene romethane

8354785/502892

Attachment 11

Page

Form Approved. OMB No. 2050-0039 Please print or type. (Form designed for use on elite (12-pitch) typewriter.) 1. Generator ID Numbe 2. Page 1 of 3. Emergency Response Phone UNIFORM HAZARDOUS 1 AR-000506 105 800-535-5053 000069428 WASTE MANIFEST Generator's Site Address (if different than mailing address) Generator's Name and Mailing Addre RELCO LOCOMOTIVE 1 RELCOWAY **ALBIA IA 52531** 932-3621 Generator's Phone: 5 4 1 U.S. EPAID Number PAR000504944 6. Transporter 1 Company Name ALPONT TRANSPORTATION LLC U.S. EPA ID Number 7. Transporter 2 Company Name 8. Designated Facility Name and Site Address
POLLUTION CONTROL INDUSTRIES U.S. EPAID Number 4343 KENNEDY AVENUE EAST CHICAGO IN 48312 IND000848943 Facility's Phone: 249 397-3951 9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, 10. Containers 11. Total 12. Unit 13. Waste Codes and Packing Group (if any)) HM Quantity Wt./Vol. No. Type FOOS RO, Waste Paint Related Material D001 F003 (D001.F003.F005) 008 DM G 440 (ERG 128) 3. UN1263. II 14. Special Handling instructions and Additional Information STREAM# 293410 C# 29982 15. GENERATOR'S/OFFEROR'S CERTIFICATION: thereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, arked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true. r's/Offeror's Printed/Typed Name Day SDOIN 7) 106 Import to U.S. Export from U.S. Port of entry/exit: Date leaving U.S. Transporter signature (for exports only): 17: Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Na 106 18. Discrepancy 18a. Discrepancy Indication Space Туре Residue Quantity __ Partial Rejection Full Rejection Manifest Reference Number: 18b. Alternate Facility (or Generator) U.S. EPA ID Number Facility's Phone: 18c. Signature of Alternate Facility (or Generator) Day 19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) ed Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete DESIGNATED FACILITY TO GENERATOR

ease pri		ned for use on elite (12-pitch) typewriter.)			aring the second	7 (Sto.) 400 - 15	For	n Approved	OMB No.	2050-003
	FORM HAZARDOUS ASTE MANIFEST	1. Generator ID Number 1. A.R. 0. 0. 0. 5. 0. 0. 1	2. Page 1 of 3	Emergency Response 800-535-50	e Phone 53	4. Manifest		942	8 J	JK
1 A	nerator's Name and Mailin FIELCOWAY LBIA IA \$2531 rator's Phone: 5 4		•	enerator's Site Address	(if different t	han mailing addres	ss)			
6. Tra	insporter 1 Company Nam				A tradition of the	U.S. EPAIR	lumber	5 0	4 9 4	4
7. Tra	insporter 2 Company Nam	•				U.S. EPA ID N	lumber	Town	10-14-14-15-15-15-15-15-15-15-15-15-15-15-15-15-	
4 E	343 KENNEDY A AST CHICAGO	IN 46312			V2	U.S. EPAIDN		0 6 4	806	
i serve	ty's Phone: 219 39	7 - 3951 on (including Proper Shipping Name, Hazard Cla	iss ID Number	10. Contai	ners	11. Total		J 0 W	0 8 9	and the second
9a. HM	and Packing Group (if a	any))		No.	Туре	Quantity	12. Unit Wt./Vol.	13.	Waste Code	100
X	FQ, Waste Pai (D001,F003,F0 3, UN1263, II	nt Related Material 95)	(ERG 128)	008	DM	440	9	D001	F003	FÕOS
	2.									90 B
	3.									
	4.			1	100 mg				pe Propinsi o Wa Dijeksa	
	S. Control of the second		aum ar Vigas an Ola y		news.				e alteria	
	marked and labeled/placa Exporter, I certify that the I certify that the waste min	OR'S CERTIFICATION: I hereby declare that the rided, and are in all respects in proper condition to contents of this consignment conform to the term imization statement identified in 40 CFR 262.27	for transport according to applicat ns of the attached EPA Acknowled (a) (if I am a large quantity genera	ole international and nat igment of Consent. ator) or (b) (if I am a sma	tional govern	mental regulations.		ipment and I	am the Prin	nary
		ped Name	Signal Signal Signal	duck C	76			Mo	nth Day ノーン。	
Trans	nternational Shipments sporter signature (for expo		Export from U.S	. Port of er Date leav	75.00			-		
Trans	ransporter Acknowledgmen porter 1 Printed/Typed Na		Signal	ture	01	7		Moi	nth Day	Year
Trans	DC-VIC / I sporter 2 Printed/Typed Na	IC Shehrin	Signal	anul 16.	<u> </u>	Som	1875 - 244 1875 - 244	l) Mo	1 27 nth Day	7 106 Year
18. D	iscrepancy									
188.	Discrepancy Indication Spa	ace L Quantity	∐ Туре	Residue Manifest Reference	e Number:	Partial Rej	ection		Full Re	jection
361	Alternate Facility (or Gener	rator)			Company 1	U.S. EPA ID N	lumber			
Facili 18c.	ty's Phone: Signature of Alternate Faci	lity (or Generator)				Andreas		Mc	onth Da	y Year
18c. 3	azardous Waste Report M	anagement Method Codes (i.e., codes for hazar	dous waste treatment, disposal, a	and recycling systems)		14.			Surphy 2	
di-		1 Sau							a zamenia	1554
100	esignated Facility Owner of ed/Typed Name	or Operator: Certification of receipt of hazardous	materials covered by the manifes Signa		m 18a			Mo	onth Day	/ Year
PA Form	8700-22 (Rev. 3-05) I	Previous editions are obsolete.		V.			GENER	RATOR'S	SINITIA	LCOP

Attachment | Page 4 of 12

LAND DISPOSAL RESTRICTION NOTIFICATION FORM 1

			Mani es No			Date	11-27-06	
•	PROFILE	RCRA NON- REGULATED Please check if waste stream is not regulated by RCRA.	RCRA WASTE CODES (List all that apply)	SUBCATEGORY (See Table II and Select Key # if applicable).	TREATABIL Please check the ap gro		CALIFORNIA LIST WASTES	REGULATED CONSTITUENTS FOR D001*, D002, D012-D04 F001-F005 & F039
		b	c	d	Nonwastewater >1% TOC & >1% TSS e	Wastewater f	List all applicable constituents from key below	List all applicable constituents from Table and/or key below h
29	3410		D001,F003,F005		X			32,26
7							· · · · · · · · · · · · · · · · · · ·	
-								
			CALIF	ORNIA LIST	WASTES (for C	Column g)		
	CB >= 50 Acetone	REGUI	nated Organic Carbon LATED CONSTIT 12) Cresylic Acid	(HOC's) > = 10 UENTS FOR F	00 mg/l 3) Ni 001, F002, F003	ickel (Ni) >= 1 3, F004, F005	(for Column h) 26) Toluene	
	Acetone ^ Benzene	REGUI	nated Organic Carbon LATED CONSTIT 12) Cresylic Acid 13) Cyclohexanone	(HOC's) > = 10 UENTS FOR F	00 mg/l 3) Ni 001, F002, F003	ickel (Ni) >= 1 3, F004, F005	(for Column h) 26) Toluene	
	Acetone ´Benzene N-Butly Alc	REGUI	nated Organic Carbon ATED CONSTIT 12) Cresylic Acid 13) Cyclohexanone 14) 1,2-Dichloroben	(HOC's) >= 10 UENTS FOR F zene	00 mg/l 3) No 001, F002, F003 9) Methanol 00) Methylene Ch 11) Methyl Ethyl	ickel (Ni) >= 1 3, F004, F005 loride	(for Column h) 26) Toluene 27) 1,1,1 Trichlo 28) 1,1,2 Trichlo	roethane roethane
	Acetone Benzene N-Butly Alc Carbon Dis	REGUI cohol ulfide	nated Organic Carbon LATED CONSTIT 12) Cresylic Acid 13) Cyclohexanone 14) 1,2-Dichloroben 15) Ethyl Acetate	(HOC's) >= 10 UENTS FOR F zene	00 mg/l 3) No. 001, F002, F003 9) Methanol 00) Methylene Ch 11) Methyl Ethyl 12) Methyl Isobut	ickel (Ni) >= 1 3, F004, F005 loride Ketone yl Ketone	(for Column h) 26) Toluene 27) 1,1,1 Trichlo 28) 1,1,2 Trichlo 29) 1,1,2 Trichlo	ro 1,2,2 Tritluoroe
)	Acetone Benzene N-Butly Alc Carbon Dist Carbon Tett	REGUI cohol ulfide rachloride	nated Organic Carbon ATED CONSTIT 12) Cresylic Acid 13) Cyclohexanone 14) 1,2-Dichloroben	(HOC's) >= 10 UENTS FOR F zene	00 mg/l 3) No. 001, F002, F003 9) Methanol 00) Methylene Ch 11) Methyl Ethyl 12) Methyl Isobut	ickel (Ni) >= 1 3, F004, F005 lloride Ketone yl Ketone	(for Column h) 26) Toluene 27) 1,1,1 Trichlo 28) 1,1,2 Trichlo	roethane roethane ro 1,2,2 Trifluoroe lene romethane

YELLOW - GENERATOR

WHITE . PCI

Attachment 11 Page

	#Emerge	ncy Contac	r releptione inc	imoer				
UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator	s US EPA ID No	01018	Manifest Wingst to a	2. Page of	AL INDIGATE CONCESS	on in the sh red by Fede	aded areas is eral law.
3. Generator's Name and Malling Address REECO LOCAMO INCE		n Sen i i i i i i				Manifest Docum	nent Numb	orumus, massis mai s Santa (santa rata di
4. Generator's Phone (U 4. 1)	32-3621	Presidenti Algoria		i Programa	B. State	Generator's ID	angeren 15 Ballynan og	reasing of specific specification of the state of the sta
5: Transporter 1 Company Name C	ille	PAR	US EPA ID Number	4 9 4 4	POSSESSE MODEL STREET, SALES	Transporter's II sporter's Phone	24 (61-4186 T
7. Transporter 2 Company Name		8.	US EPA ID Number	DF 18	E. State	Transporter's II	Selection of the	лука волили Астара Ту
9. Designated Facility Name and Site Address POLLUTION CONTROL INDUST		1. 110, 1932W	US EPA ID Number		Allega Control of the	sporter's Phone Facility's ID	ren Po	FL the force norm JA Flore 8700-22 Kar
4343 KENNEDY AVENUE EAST CHICAGO IN 46312	327	TROSEVANA MPT TENN	s should by the		H. Faci	ily's Phone	17-3061	nto auteu our til anne mener i Col
11. US DOT Description (Including Proper Sh	ipping Name, Hazard	Class, and ID No	amber)	12. Cont	ainers	13. Total	14. Unit	
HM / Escent A temperature A te	over governe i de la deserve de la deserv La deserve de la deserve d	obrodinski Zastinada		No.	Туре	Quantity	Wt/Vol	Waste No.
The Control Science of	ung di selatan di selatan Managaran di selatan di selatan Managaran di selatan	ija vije povljadi i di vije povljadi i di	2. : 73e.74	0.08	QM	. 44 0	G	F000
Section County of analysis and the county	osa er ste n ogs Eksteno							inempopulation (1 e
€ (2.0 ptk to be deconocide serving head by a			9;		of laws ed to b			d retre jeda film 19 september 1922 Desalto considerati
A CONTRACTOR STATEMENT A STATE	TO SHIP AND U.S.	in de la companya. Na engana						i professoren ert. Di Artic Esta Arti
d.	E granon voticas	d S S		(r 1-006-1126	10,000			news grown 18- ,0
A service variation and made a								eria estale ericle Territoria Secularia estalea
J. Additional Dissorptions for Materials Listed (41) ETTERATE SANTERS	Above	ap nalogaet Leongaetaeta Tait Manage			K. Hand	ling Codes for W	astes Liste	d Above kilososia i tenenzasta kilo
The section of the engine alone of the grant of the section of the		rica sebrepad eri probinsi in albris diametr	AND VERY TOUR	Acation	orit ea i	ALICA SERVICE STATE	T testinai viole grib	ent mesteren eta en menten eta
15. Special Handling Instructions and Addition	nai Information	Monapak enisk Sila (albagouk) Manapak enisk			it to tack	en reiku te wa	100000000	1943 <i>- 20</i> 40 19
24 HOUR EMERGENTY P	HOURS BURY	WAC 800-	529-5082	RELEC		11-932-35	24. _{(f})	
16. GENERATOR'S CERTIFICATION: I hereby			priment are fully and a	courately desc	ribed abo		ping name	
packed, marked, and labeled, and are in all re if I am a large quantity generator, I certify the practicable and that I have selected the pract	at I have a program in	place to reduce ti	ne volume and toxicity	of waste gene	rated to th	ne degree I have	determined	to be economically
and the environment, OR, if I am a small qua available to me and that I can afford.		made a good faith	effort to minimize my				te managen	nent method that is
Printed/Typed Name DAVIO ADLER	geodesis IIIS EPA	50 Sig	nature /		2		Mo	nth Day Year
17. Transporter 1 Acknowledgement of Receip Printed/Typed Name	of of Materials	Sig	nature 🕥		4988V	**	Мо	nth Day Year
18. Transporter 2 Acknowledgement of Receip	ot of Materials	produktivacja i Esta 105. marti	<i> 156_</i>				0	83.106
Printed/Typed Name	to on to office ou		nature		50 d (8)	ge na besalvent. 8	Mo	nth Day Yeal
19. Discrepancy Indication Space	lani di bertupa kai Lani di bertupa kai	lie savava		T (yan) bilayi	or (seconder gradianide als receptor			
The figure is a property of the member subliques of the figure is a sublique of the fi	On a more construction of the state of	Burgers - British production		Di Paris and	angonita angonita angonita	A STATE OF THE STA		
20. Facility Owner or Operator: Certification o			ed by this manifest ex	cept as nete	in Item			
Printed/Typed Name		Sig	nature	A			The state of the s	nth Day Year
spoders, and TD removes for treasurent. Borage	est to act personalities est personalities est personalities		ine parties de la company. Il postible yande des	gradounado Apodounado Tatrigua desd			annie rus	gorden Ha.E
		ENERATO	R'S COPY	Tra anglish				

S UNIFORM HAZARECK STRASTE MANURES<mark>T AND HIS</mark>TERIOSTORS **EFA FORMUSIOS**E

Attachment Page 7 of 12

/aste Analysis Available							
	Y(es No	<u>X</u> On	file at facility	Date	8-21-06	•
Ple	RCRA NON- REGULATED ase check if waste n is not regulated by RCRA.	RCRA WASTE CODES (List all that apply)	SUBCATEGORY (See Table II and Select Key # if applicable).	TREATABIL Please check the ap	plicable treatability	CALIFORNIA LIST WASTES	REGULATED CONSTITUENTS PO D001*, D002, D012-D0 F001-F005 & F039
4	b	c	đ	Nonwastewater >1% TOC & >1% TSS e	Wastewater f	List all applicable constituents from key below g	List all applicable constituents from Table and/or key below h
293410		D001,F003,F005		X			32,26
<u> </u>							
) PCB > = 50 ppm		nated Organic Carbon		0 mg/l 3) Ni	ickel (Ni) >= 1.		lium (TI) > = 130
) Acetone		12) Cresylic Acid	19	9) Methanol		26) Toluene	
) Benzene		13) Cyclohexanone)) Methylene Ch		27) 1,1,1 Trichlor	
) N-Butly Alcohol		14) 1,2-Dichlorobena		Methyl Ethyl		28) 1,1,2 Trichlor	
Carbon DisulfideCarbon Tetrachlor		15) Ethyl Acetate16) Ethyl Benzene		Methyl IsobutNitrobenzene	yi Ketone	29) 1,1,2 Trichlor30) Trichloroethyl	
		17) Ethyl Benzene		4) Pyridine		31) Trichlorofluor	
(I) Chioropenzene				5) Tetrachloroeth	vlene	32) Xylene (Total	
O) Chlorobenzene1) Cresols (o,m, or page 1)	o isomers)	18) Isobutanol (Isobu	ity i alconol) 2.) retractitoroeur	J Leile	JL) Tylone (Total	,

WHITE - PCI

YELLOW - GENERATOR

ORIGINAL — RETURN TO GENERATOR

Attachment 11 Page 7 of 12

ORIGINAL - RETURN TO GENERATOR

	Emergency Contac	t relephone Nu	mper				
UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's US EPA ID No	l Doc	Manifest cument No.	2. Pag			naded areas is
Generator's Name and Mailing Address RELCO LOCOMOTIVE 1 RELCOWAY	A Commence of the commence of	TO SELECT TO SELECT THE SELECT TH		men of the second	te Manifest Docum	ent Numb	or 6
Generator's Phona (, ,) , , , , , , , , , , , , , , , ,	-8-8-2-4 · · ·	UC 55 ND N				The second second	PW-16191
Transporter 1 Company Name Alport Transportation, LLC	e P.A.R	US EPA ID Number	9.4.4	D, Tra	te Transporter's ID nsporter's Phone		Filip
Transporter 2 Company Name	8:	US EPA ID Number		-9600	te Transporter's ID nsporter's Phone		Maria Caracteria de Caracteria
Designated Facility Name and Site Address POLLUTION CONTROL INDUSTRIE	10.	US EPA ID Number		G. Sta	te Facility's ID		10 T
4943 KENNEDY AVENUE EAST CHICAGO IN 46912	J.N.D	0.0.0.6.4.1	s. 9. 4. 3	Contract Contract	ility's Phone 219 30	7-3051	อหล องกลา อลี เกษอาฟิล เซฮ ก
. US DOT Description (Including Proper Shippli			12. Cont	ainers	13. Total Quantity	14. Unit Wt/Vol	I. Waste No
X SUNIZES, Part related Material	to end algebraiche de commente		004	DM	55	6	F008
a soft of the action of pictors of the control of	n matecons 7 et ora 3 Binnet in all most						S retrocoss Y
e was the first of the Art and training to the Common and the Comm	Service Commission Commission	A STATE OF S				1	nt tame akas Isro-asawa M
	The state of the s			Sections:			
# - P	Hamilton A	or de la comitate				7300	Seine side
		910		100	John St. St.		nam eront f Porta erraciy
Additional Descriptions for Materials Listed Abo	e la companya de la c			K. Han	dling Codes for Wa	astes Liste	ed Above
a) (1) STREAM 2019 PROFIE	s egopal vermigrator sace sa sumina s signator transparent vermina			tioui an	or and Sile Andres sile eccess of t	nest vettor Denostares	De <mark>orgi</mark> cerad Fi 19 ogsprædig
atrométis se geofff all a lab CPR Alle in energe de ockset, il veit notized base a lei il indissentie	describing the defigerative and action	109 Y		e de la per			
. Special Handling Instructions and Additional I	reger careful condition of the condition	35 0 - 4	A south	17 17 1640	The amenuation	Gyra Phras Nas	
24 HOUR EMERGENCY PHO		Call	RELEC	: 6	11-932-352	1 3	
GENERATOR'S CERTIFICATION: I hereby de	clare that the contents of this consi	nment are fully and a	100	ribed ab	ove by proper ship	oing name	and are classi
packed, marked, and labeled, and are in all respe- if I am a large quantity generator, I certify that I	1 (7) 1 - 10 0 10 0	1 7	Paris I Electric	1000	1880 - 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		F Heat Besteady
practicable and that I have selected the practical and the environment; OR, if I am a small quantity							
available to me and that I can afford. Printed/Typed Name	Sign	nature	J.		A Company of the Comp	M	onth Day
Transporter 1 Acknowledgement of Receipt of	Materials			radevala. Parvido -	W	- 4	3 12 7 10
Printed/Typed Name	Table 1	nature	11	asasa asasa operata		M	onth Day
Transporter 2 Acknowledgement of Receipt of		JUNE	U	**************************************			3270
Printed/Typed Name	SEC 10 FEEGE BUILDING NO FOLLS	nature	***	, sede p	new no bedin web. W	M.	onth Day
D. Discrepancy Indication Space	as va monteen erima ogunada. Pari benna erima erima A. sembli	30,38	a sa marani Sa M	OF WORD	uj ir generi urceneru. Vi ir alta ir e	7 h	
earl bearing on the second of	radince i rependimente de la martina de la m	5.	e de onde de la	80 03900 1340604 636059 173636	- 14 C		
Facility Owner or Operator: Certification of re		Comment of the Commen		2000	ង១. ខ	91-10-12-5- \$3. 48-81	
Printed/Typed Name	Sign	nature			Standing to the state of		onth Day
ratio, organs, and 10 enoutes for treatment Stora	not advisored by the source for the	erm Vå sperava ut i Speraver ermaner.	ationiouries fra	cilianici	ni to notbetop ant	arden for	d princ al o sia
	GENERATO	The second of the second second	grandiai, dai aren sueda				

UNIFORM MAZARDOUGHEST CONTROL SEE SEED OF SEED OF SEED OF SOME

LAND DISPOSAL RESTRICTION NOTIFICATION FORM 1

A ID Nimber_	IAR000506105	Manil	fest Number	32	/Ub				
ste Analysis Av	vailable Y	ෂ No	<u> </u>	On fil	e at facility	Date			<u> </u>
PROFILE A	REGULATED (List all that apply) (S		SUBCATEGORY (See Table 11 and Select Key # if applicable).		TREATABILITY GROUP Please check the applicable treatability group.		CALIFORNIA LIST WASTES		REGULATED CONSTITUENTS D001*, D002, D012 F001-F005 & F0
		c	d		Nonwastewater >1% TOC & >1% TSS	Wastewater f		at all applicable below 8	List all applica constituents from ' and/or key bel h
293410		D001,F003,F005			X		218		32,26
		CALIF	ORNIA LIST	r w	ASTES (for	Column g)			
PCB >= 50		CALIF mated Organic Carbon LATED CONSTIT	(HOC's) >= 1	1000 i	mg/l 3) N	lickel (Ni) >=			llium (TI) >=
		nated Organic Carbon	(HOC's) >= 1	1000 i F00 :	mg/l 3) N 1, F002, F00	lickel (Ni) >=	5 (for C	olumn h)	allium (TI) > =
PCB >= 50 Acetone Benzene		nated Organic Carbon	(HOC's) >= 1	1000 i F00 :	mg/l 3) N l, F002, F00 Methanol	lickel (Ni) >= 3, F004 , F00 :	5 (for C		
Acetone Benzene N-Butly A	REGUI	enated Organic Carbon LATED CONSTIT 12) Cresylic Acid 13) Cyclohexanone 14) 1,2-Dichloroben	(HOC's) >= :	1000 i F00: 19) 20) 21)	mg/l 3) N 1, F002, F00 Methanol Methylene Cl Methyl Ethyl	lickel (Ni) >= 3, F004, F00s hloride Ketone	5 (for C 26) 27) 28)	Toluene 1,1,1 Trickle 1,1,2 Trickle	proethane proethane
Acetone Benzene N-Butly A Carbon Di	REGUI Icohol sulfide	enated Organic Carbon LATED CONSTIT 12) Cresylic Acid 13) Cyclohexanone 14) 1,2-Dichloroben 15) Ethyl Acetate	(HOC's) >= :	1900 1900 200 210 220	mg/l 3) N 1, F002, F00 Methanol Methylene Cl Methyl Ethyl Methyl Isobu	ickel (Ni) >= 3, F004, F00: hloride Ketone tyl Ketone	26) 27) 28) 29)	Toluene 1,1,1 Trichle 1,1,2 Trichle 1,1,2 Trichle	proethane proethane pro 1,2,2 Trifluc
Acetone Benzene N-Butly A Carbon Di Carbon Te	REGUI Icohol sulfide trachloride	nated Organic Carbon LATED CONSTIT 12) Cresylic Acid 13) Cyclohexanone 14) 1,2-Dichloroben 15) Ethyl Acetate 16) Ethyl Benzene	(HOC's) >= UENTS FOR	1000 i F00: 19) 20) 21) 22) 23)	mg/l 3) N 1, F002, F00 Methanol Methylene Cl Methyl Ethyl Methyl Isobu Nitrobenzene	ickel (Ni) >= 3, F004, F00: hloride Ketone tyl Ketone	26) 27) 28) 29) 30)	Toluene 1,1,1 Trichle 1,1,2 Trichle 1,1,2 Trichle Trichloroethy	proethane proethane pro 1,2,2 Triffu ylene
Acetone Benzene N-Butly A Carbon Di Carbon Te	REGUI Icohol sulfide trachloride	enated Organic Carbon LATED CONSTIT 12) Cresylic Acid 13) Cyclohexanone 14) 1,2-Dichloroben 15) Ethyl Acetate	(HOC's) >= : UENTS FOR	1000 i F00: 19) 20) 21) 22) 23)	mg/l 3) N 1, F002, F00 Methanol Methylene Cl Methyl Ethyl Methyl Isobu	ickel (Ni) >= 3, F004, F00: hloride Ketone tyl Ketone	26) 27) 28) 29) 30) 31)	Toluene 1,1,1 Trichle 1,1,2 Trichle 1,1,2 Trichle	proethane proethane pro 1,2,2 Trif ylene promethane

Attachment | Page 17 of 17

Attachment 12

Hazardous Waste Analytical Profiles

POLLUTION CONTROL INDUSTRIES

Please indicate which PCI Facilty(s) are being utilized for this Profile

□ East Chicago, IN. 46310 □ Millington, TN. 38053 1-800-388-7242

1-888-724-8366

□ Rancho Cordova, CA. 95670 1-866-724-2272

PROFILE NUMBER 293410

Page 1 of 2

GENERATORS WASTE PROFILE SHEET

PLEASE PRINT IN INK OR TYPE

Tom Trube

PLEASE FAX COMPLETED FORM TO THE PCLAPPROVALS DEPARTMENT AT 1.249.397.5444

A. GENERATOR INFORMATION: Generator Name:	inte TA Zip	Billing Cor Phone (815) 487 Billing Phone. () - Billing Fax: () - P.C.I. Sales Rep.: 50	EMAN CHEI
Is a representative sample provided? Is there any Analytical attached? TO C. GENERAL CHARACTERISTICS	Yes No	is a MSDS attached? OtherYesNo	YesNo
None% SludgMild % SolidStrong % Power	d% Gas(Aeroso) ge% Gas(Other)% Other	<u>✓</u> Multi Layer How Many? <u>∠</u>	<3000 3000-5000 5000-10,000 >10,000
PH: <2.0 2.0 Liquid Flash Point <73 F Specific Gravity D. CHEMICAL COMPOSITION: To Constituents	73 to 99 F100 to 139 % Total Halogens	F140 to 200 F>2 on must be > or = to 100%.	
Paint Thomas Tolome xylen	50		
E. OTHER WASTE STREAM INFO Is this waste a "USED OIL" per 40CF If "Yes", does the total halogen co If "Yes", can you identify the "C If "Yes", can you rebut the p Does the Waste have any of the follor Oxidizer Organic Perc Radioactive Infectious Explosive Shock Sensi	R PART 279? Intent exceed 1,000 ppm? Intent exceed 1,000 ppm. Inten	a "Hazardous Waste"? theck all that apply) Air ReactivePyropl CarcinogenEtiolog	ical
Does the Waste contain any of the following or LESS THAN or PCB'S	llowing? ACTUAL None of ppm St. ppm Phrofile contain benzene? ppm ppm. ppm. ppm. ppm. vaste operations NESHAP? (4) enzene and if the SIC code from	r LESS THAN or AC lifides<50ppm enolics<50ppm DCFR Part 61, Subpart FF) orn your facility is one of the follo	Powing:
2812 2813 2816 2819 2821 28	22 2823 2824 2833 2834	2835 2836 2841 2842 2843 Attachmer	11

Page 1 of 2



POLLUTION CONTROL INDUSTRIES

Please indicate which PCI Facilty(s) are being utilized for this Profile

□ East Chicago, IN. 46310 □ Millington, TN. 38053 1-800-388-7242 1-888-724-8366 F Rancho Cordova, CA. 95670 1-866-724-2272 PROFILE NUMBER 293423

PCI

GENERATORS WASTE PROFILE SHEET

PLEASE PRINT IN INK OR TYPE

Tom TANdor

502892

PLEASE FAX COMPLETED FORM TO THE PCI APPROVALS DEPARTMENT AT 1-219-397-6411

A. GENERATOR INFORMATION:	BILLING INFORMATION:
Generator Name: LE/co Locomotive	Billing COLENA A DE CHEMCAI
Facility Address / RE/Co Way City A/B/A State ZA Zip 575	
Customer Name: Kur & DE felielev	23247 W. Earnes (U.S. Rt. 6), Cfrightnathon, it. 60410 Billing Phone (815) 467-1777 Fox (815) 457-1588
Customer Phone: (641) 932 - 3521	Billing Frione. ()
Customer Fax: (641) 972 - 7375	Billing Fax: ()
Generator USEPA/Federal ID#: TAR 00050 6/0	P.C.I. Sales Rep.: BOB BROWN
Generator State ID # (If applicable): Is the Generator a "Conditionally Exempt Small Quantity Generator Conditional State ID # (If applicable):	estor"? Yes Vo
Generator's S.I.C. Code(4 Digit):	etal :
B. WASTE STREAM INFORMATION:	
Name of the Waste: YAIN	t Solias
Original Process Generating Weste: Filter	* PAINT Chips PAINFING
Is a representative sample provided?YesNo	Is a MSDS attached? YesNo
Is there any Analytical attached? TCLPYesNo	OtherYesNo
C. GENERAL CHARACTERISTICS: Color: Physical state @ 70 F	Phases Btu/Lb
Odor: % Liquid % Gas(Aero	
None % Sludge % Gas(Othe	
Mild% Solid% Other	How Many?
Strong % Powder	>10,000
PH: <2.0 2.0 to 4.0 2 4.0 to	ET WAR
Liquid Flash Point:<73 F73 to 99 F100 to ' Specific Gravity % Total Halogens	139 F140 to 200 F>200 F _ None
D. CHEMICAL COMPOSITION: Total of Maximum concentr	ation must be > or = to 100%.
Constituents Min% Max%	
Dant Filters 30	The second secon
DAINT Chips 70	
E. OTHER WASTE STREAM INFORMATION:	
s this waste a "USED OIL" per 40CFR PART 279?	Yes No
If "Yes", does the total halogen content exceed 1,000 ppm?	YesNo
If "Yes", can you identify the "Chlorinated Constituent" pre-	
If "Yes", can you rebut the presumption that this materi	
Does the Waste have any of the following characteristics? (Plean Oxidizer Organic Peroxide Water Reactive	11.42
	Air ReactivePyrophoricDioxinCarcinogenEtiological
	dous Polymerization Cylinder Aerosols
Does the Waste contain any of the following?	
one or LESS THAN or ACTUAL None	
	or LESS THAN or ACTUAL
PCB'S <50ppm ppm	Sulfides <50ppm ppm
PCB'S <50ppm ppm Cyanides <50ppm	Sulfides <50ppm ppm Phenolics <50ppm ppm
PCB'S <50ppm ppm Cyanides <50ppm ppm Does the waste represented by this profile contain benzene?	Sulfides <50ppm ppm
PCB'S <50ppm ppm Cyanides <50ppm ppm Does the waste represented by this profile contain benzene? If "Yes", please list concentration in	Sulfides <50ppm ppm Phenolics <50ppm ppm Yes No
PCB'S <50ppm ppm Cyanides <50ppm ppm Does the waste represented by this profile contain benzene?	Sulfides <50ppm
PCB'S <50ppm ppm Cyanides <50ppm ppm ppm PCS	Sulfides <50ppm ppm Phenolics <50ppm ppm Yes No (40CFR Part 61, Subpart FF) Yes No e from your facility is one of the following: